



Provider Notice # PN0026

Date: 8/18/04

**Subject: 2005 ICD-9-CM Update (Diagnosis file)
Effective 10/1/04**

The annual diagnostic coding changes become effective for both Medicare and Medi-Cal for **all dates of service on or after October 1, 2004**. There are 171 new codes, 193 revisions, and 25 codes that will be inactive. The changes are listed below:

New Diagnosis Codes

Diagnosis Code	Description	Restrictions
066.40	West Nile Fever, unspecified	
066.41	West Nile Fever with encephalitis	
066.42	West Nile Fever with other neurologic manifestation	
066.49	West Nile Fever with other complications	
070.70	Unspecified viral hepatitis C without Hepatic Coma	
070.71	Unspecified viral hepatitis C with hepatic coma	
252.00	Hyperparathyroidism, unspecified	
252.01	Primary hyperparathyroidism	
252.02	Secondary hyperparathyroidism, non-renal	
252.08	Other hyperparathyroidism	
273.4	Alpha-1-antitrypsin deficiency	
277.85	Disorders of fatty acid oxidation	
277.86	Peroxisomal disorders	
277.87	Disorders of mitochondrial metabolism	
347.00	Narcolepsy, without cataplexy	

347.01	Narcolepsy, with cataplexy	
347.10	Narcolepsy in conditions classified elsewhere, without cataplexy	
347.11	Narcolepsy in conditions classified elsewhere, with cataplexy	
380.03	Chondritis of pinna	
453.40	Venous embolism and thrombosis of unspecified deep vessels of lower extremity	
453.41	Venous embolism and thrombosis of deep vessels of proximal lower extremity	
453.42	Venous embolism and thrombosis of deep vessels of distal lower extremity	
477.2	Allergic rhinitis, due to animal (cat) (dog) hair and dander	
491.22	Obstructive chronic bronchitis with acute bronchitis	
521.06	Dental caries pit and fissure	
521.07	Dental caries of smooth surface	
521.08	Dental caries of root surface	
521.10	Excessive attrition, unspecified	
521.11	Excessive attrition, limited to enamel	
521.12	Excessive attrition, extending into dentine	
521.13	Excessive attrition, extending into pulp	
521.14	Excessive attrition, localized	
521.15	Excessive attrition, generalized	
521.20	Abrasion, unspecified	
521.21	Abrasion, limited to enamel	
521.22	Abrasion, extending into dentine	
521.23	Abrasion, extending into pulp	
521.24	Abrasion, localized	
521.25	Abrasion, generalized	
521.30	Erosion, unspecified	
521.31	Erosion, limited to enamel	
521.32	Erosion, extending into dentine	
521.33	Erosion, extending into pulp	
521.34	Erosion, localized	
521.35	Erosion, generalized	

521.40	Pathological resorption, unspecified	
521.41	Pathological resorption, internal	
521.42	Pathological resorption, external	
521.49	Other pathological resorption	
523.20	Gingival recession, unspecified	
523.21	Gingival recession, minimal	
523.22	Gingival recession, moderate	
523.23	Gingival recession, severe	
523.24	Gingival recession, localized	
523.25	Gingival recession, generalized	
524.07	Excessive tuberosity of jaw	
524.20	Unspecified anomaly of dental arch relationship	
524.21	Angle's class I	
524.22	Angle's class II	
524.23	Angle's class III	
524.24	Open anterior occlusal relationship	
524.25	Open posterior occlusal relationship	
524.26	Excessive horizontal overlap	
524.27	Reverse articulation	
524.28	Anomalies of interarch distance	
524.29	Other anomalies of dental arch relationship	
524.30	Unspecified anomaly of tooth position	
524.31	Crowding of teeth	
524.32	Excessive spacing of teeth	
524.33	Horizontal displacement of teeth	
524.34	Vertical displacement of teeth	
524.35	Rotation of teeth	
524.36	Insufficient interocclusal distance of teeth (ridge)	
524.37	Excessive interocclusal distance of teeth	
524.39	Other anomalies of tooth position	
524.50	Dentofacial functional abnormality, unspecified	
524.51	Abnormal jaw closure	
524.52	Limited mandibular range of motion	

524.53	Deviation in opening and closing of the mandible	
524.54	Insufficient anterior guidance	
524.55	Centric occlusion maximum intercuspation discrepancy	
524.56	Non-working side interference	
524.57	Lack of posterior occlusal support	
524.59	Other dentofacial functional abnormalities	
524.64	Temporomandibular joint sounds on opening and/or closing the jaw	
524.75	Vertical displacement of alveolus and teeth	
524.76	Occlusal plane deviation	
524.81	Anterior soft tissue impingement	
524.82	Posterior soft tissue impingement	
524.89	Other specified dentofacial anomalies	
525.20	Unspecified atrophy of edentulous alveolar ridge	
525.21	Minimal atrophy of the mandible	
525.22	Moderate atrophy of the mandible	
525.23	Severe atrophy of the mandible	
525.24	Minimal atrophy of the maxilla	
525.25	Moderate atrophy of the maxilla	
525.26	Severe atrophy of the maxilla	
528.71	Minimal keratinized residual ridge mucosa	
528.72	Excessive keratinized residual ridge mucosa	
528.79	Other disturbances of oral epithelium, including tongue	
530.86	Infection of esophagostomy	
530.87	Mechanical complication of esophagostomy	
588.81	Mechanical complication of esophagostomy	
588.89	Secondary hyperparathyroidism (of renal origin)	
618.00	Unspecified prolapse of vaginal walls	Female only
618.01	Cystocele, midline	Female only
618.02	Cystocele, lateral	Female only
618.03	Urethrocele	Female only
618.04	Rectocele	Female only

618.05	Perineocele	Female only
618.09	Other prolapse of vaginal walls without mention of uterine prolapse	Female only
618.81	Incompetence or weakening of pubocervical tissue	Female only
618.82	Incompetence or weakening of rectovaginal tissue	Female only
618.83	Pelvic muscle wasting	Female only
618.89	Other specified genital prolapse	Female only
621.30	Endometrial hyperplasia, unspecified	Female only
621.31	Simple endometrial hyperplasia without atypia	Female only
621.32	Complex endometrial hyperplasia without atypia	Female only
621.33	Endometrial hyperplasia with atypia	Female only
622.10	Dysplasia of cervix, unspecified	Female only
622.11	Mild dysplasia of cervix	Female only
622.12	Moderate dysplasia of cervix	Female only
629.20	Female genital mutilation status, unspecified	Female only
629.21	Female genital mutilation Type I status	Female only
629.22	Female genital mutilation Type II status	Female only
629.23	Female genital mutilation Type III status	Female only
629.84	Contact dermatitis and other eczema due to animal (cat) (dog) dander	
705.21	Primary focal hyperhidrosis	
705.22	Secondary focal hyperhidrosis	
707.00	Decubitus ulcer, unspecified site	
707.01	Decubitus ulcer, elbow	
707.02	Decubitus ulcer, upper back	
707.03	Decubitus ulcer, lower back	
707.04	Decubitus ulcer, hip	
707.05	Decubitus ulcer, buttock	
707.06	Decubitus, ankle	
707.07	Decubitus, heel	
707.09	Decubitus, other site	
758.31	Cri-du-chat syndrome	
758.32	Velo-cardio-facial syndrome	

758.33	Other microdeletions	
758.39	Other autosomal deletions	
780.58	Sleep related movement disorder	
788.38	Overflow incontinence	
790.95	Elevated C-reactive protein (CPR)	
795.03	Papanicolaou smear of cervix with low grade squamous intraepithelial lesion (LSGIL)	Female only
795.04	Papanicolaou smear of cervix with high grade squamous intraepithelial lesion (HGSIL)	Female only
795.05	Cervical high risk human papillomavirus (HPV) DNA test positive	Female only
795.08	Nonspecific abnormal papanicolaou smear of cervix, unsatisfactory smear	Female only
796.6	Nonspecific abnormal findings on neonatal screening	
V01.71	Contact or exposure to varicella	
V01.79	Contact or exposure to other viral diseases	
V01.83	Contact of exposure to Escherichia coli (E, coli)	
V01.84	Contact or exposure to meningococcus	
V46.11	Dependence on respirator, status	
V46.12	Encounter for respirator dependence during power failure	
V49.83	Awaiting organ transplant status	
V58.44	Aftercare following organ transplant	
V58.66	Long-term (current) use of aspirin	
V58.67	Long-term (current) use of insulin	
V69.4	Lack of adequate sleep	
V72.31	Routine gynecological examination	Female only
V72.32	Encounter for Papanicolaou cervical smear to confirm findings of recent normal smear following initial abnormal smear	Female only
V72.40	Pregnancy examination or test, pregnancy unconfirmed	Female only Ages 10-99
V72.41	Pregnancy examination r test, negative result	Female only Ages 10-99
V84.01	Genetic susceptibility to malignant neoplasm of breast	
V84.02	Genetic susceptibility to malignant neoplasm of ovary	Female only
V84.03	Genetic susceptibility to malignant neoplasm of prostate	Male only

V84.04	Genetic susceptibility to malignant neoplasm of endometrium	Female only
V84.09	Genetic susceptibility to other malignant neoplasm	
V84.8	Genetic susceptibility to other disease	

Invalid/Terminated Diagnosis Codes

Diagnosis Code	Description
066.4	West Nile Fever
252.0	Hyperparathyroidism
347	Cataplexy and narcolepsy
521.1	Excessive attrition
521.2	Abrasion
521.3	Erosion
521.4	Pathological resorption
523.2	Gingival recession
524.2	Anomalies of dental arch relationship
524.3	Anomalies of tooth position
524.5	Dentofacial functional abnormalities
524.8	Other specified dentofacial anomalies
525.2	Atrophy of edentulous alveolar ridge
528.7	Other disturbances of oral epithelium, including tongue
588.8	Other specified disorders resulting from impaired renal function
618.0	Prolapse of vaginal walls without mention of uterine prolapse
618.8	Other specified genital prolapse
621.3	Endometrial cystic hyperplasia
622.1	Dysplasia f cervix (uteri)
707.0	Decubitus ulcer
758.3	Autosomal deletion syndromes
V01.7	Other viral diseases
V46.1	Respirator
V72.3	Gynecological examination
V72.4	Pregnancy examination or test, pregnancy unconfirmed

Revised Diagnosis Codes

Diagnosis Code	<u>Description</u>	<u>Restrictions</u>
041.82	<u>Bacteroides fragilis</u>	
070.41	<u>Acute hepatitis C with hepatic coma</u>	
070.51	<u>Acute hepatitis C without mention of hepatic coma</u>	
250.00	<u>Diabetes mellitus without mention of complication, type II or unspecified type, not stated as uncontrolled</u>	
250.01	<u>Diabetes mellitus without mention of complication, type I (juvenile type), not stated as uncontrolled</u>	
250.02	<u>Diabetes mellitus without mention of complication, type II or unspecified type, uncontrolled</u>	
250.03	<u>Diabetes mellitus without mention of complication, type I (juvenile type), uncontrolled</u>	
250.10	<u>Diabetes with ketoacidosis, type II or unspecified type, not stated as uncontrolled</u>	
250.11	<u>Diabetes with ketoacidosis, type I (juvenile type), not stated as uncontrolled</u>	
250.12	<u>Diabetes with ketoacidosis, type II or unspecified type, uncontrolled</u>	
250.13	<u>Diabetes with ketoacidosis, type I (juvenile type) uncontrolled</u>	
250.20	<u>Diabetes with hyperosmolarity, type II or unspecified type, not stated as uncontrolled</u>	
250.21	<u>Diabetes with hyperosmolarity, type I (juvenile type), not stated as uncontrolled</u>	
250.22	<u>Diabetes with hyperosmolarity, type II or unspecified type, uncontrolled</u>	
250.23	<u>Diabetes with hyperosmolarity, type I (juvenile type), uncontrolled</u>	
250.30	<u>Diabetes with other coma, type II or unspecified type, not stated as uncontrolled</u>	
250.31	<u>Diabetes with other coma, type I (juvenile type), not stated as uncontrolled</u>	
250.32	<u>Diabetes with other coma, type II or unspecified type, uncontrolled</u>	
250.33	<u>Diabetes with other coma, type I (juvenile type), uncontrolled</u>	

250.40	<u>Diabetes with renal manifestations, type II of unspecified type, not stated as uncontrolled</u>	
250.41	<u>Diabetes with renal manifestations, type I (juvenile type) not stated as uncontrolled</u>	
250.42	<u>Diabetes with renal manifestations, type II or unspecified type, uncontrolled</u>	
250.43	<u>Diabetes with renal manifestations, type I (juvenile type), uncontrolled</u>	
250.50	<u>Diabetes with ophthalmic manifestations, type II or unspecified type, not stated as uncontrolled</u>	
250.51	<u>Diabetes with ophthalmic manifestations, type I (juvenile type), not states as uncontrolled</u>	
250.52	<u>Diabetes with ophthalmic manifestations, type II or unspecified type, uncontrolled</u>	
250.53	<u>Diabetes with ophthalmic manifestations, type I (juvenile type), uncontrolled</u>	
250.60	<u>Diabetes with neurological manifestations, type II or unspecified type, not stated as uncontrolled</u>	
250.61	<u>Diabetes with neurological manifestations, type I (juvenile type) not states as uncontrolled</u>	
250.62	<u>Diabetes with neurological manifestations, type II or unspecified type, uncontrolled</u>	
250.63	<u>Diabetes with neurological manifestations, type I (juvenile type), uncontrolled</u>	
250.70	<u>Diabetes with peripheral circulatory disorders, type II or unspecified type, not stated as uncontrolled</u>	
250.71	<u>Diabetes with peripheral circulatory disorders, type I (juvenile type), not stated as uncontrolled</u>	
250.72	<u>Diabetes with peripheral circulatory disorders, type II or unspecified type, uncontrolled</u>	
250.73	<u>Diabetes with peripheral circulatory disorders, type I (juvenile type), uncontrolled</u>	
250.80	<u>Diabetes with other specified manifestations, type II or unspecified type, not stated as uncontrolled</u>	
250.81	<u>Diabetes with other specified manifestations, type I (juvenile type), not stated as uncontrolled</u>	
250.82	<u>Diabetes with other specified</u>	

	<u>manifestations, type II or unspecified type, uncontrolled</u>	
250.83	<u>Diabetes with other specified manifestations, type I (juvenile type), uncontrolled</u>	
250.90	<u>Diabetes with unspecified complication, type II or unspecified type, not stated as uncontrolled</u>	
250.91	<u>Diabetes with unspecified complication, type I (juvenile type), not stated as uncontrolled</u>	
250.92	<u>Diabetes with unspecified complication, type II or unspecified type, uncontrolled</u>	
250.93	<u>Diabetes with unspecified complication, type I (juvenile type), uncontrolled</u>	
286.5	<u>Hemorrhagic disorder due to intrinsic circulating anticoagulants</u>	
290.40	<u>Vascular dementia, uncomplicated</u>	<u>Ages 4-99</u>
290.41	<u>Vascular dementia, with delirium</u>	<u>Ages 4-99</u>
290.42	<u>Vascular dementia, with delusions</u>	<u>Ages 4-99</u>
290.43	<u>Vascular dementia, with depressed mood</u>	<u>Ages 4-99</u>
291.1	<u>Alcohol-induced persisting amnestic disorder</u>	<u>Ages 18-99</u>
291.2	<u>Alcohol-induced persisting dementia</u>	<u>Ages 18-99</u>
291.3	<u>Alcohol-induced psychotic disorder with hallucinations</u>	<u>Ages 18-99</u>
291.5	<u>Alcohol-induced psychotic disorder with delusions</u>	<u>Ages 18-99</u>
291.89	<u>Other specified alcohol-induced mental disorders</u>	<u>Ages 18-99</u>
291.9	<u>Unspecified alcohol-induced mental disorders</u>	<u>Ages 18-99</u>
292.0	<u>Drug withdrawal</u>	
292.11	<u>Drug-induced psychotic disorder with delusions</u>	
292.12	<u>Drug-induced psychotic disorder with hallucinations</u>	
292.82	<u>Drug-induced persisting dementia</u>	<u>Ages 18-99</u>
292.83	<u>Drug-induced persisting amnestic disorder</u>	<u>Ages 18-99</u>
292.84	<u>Drug-induced mood disorder</u>	
293.0	<u>Delirium due to conditions classified elsewhere</u>	
293.81	<u>Psychotic disorder with delusions in</u>	<u>Ages</u>

	<u>conditions classified elsewhere</u>	<u>10-99</u>
293.82	<u>Psychotic disorder with hallucinations in conditions classified elsewhere</u>	<u>Ages 10-99</u>
293.83	<u>Mood disorder in conditions classified elsewhere</u>	
293.84	<u>Anxiety disorder in conditions classified elsewhere</u>	
293.89	<u>Other specified transient mental disorders due to conditions classified elsewhere, other</u>	
293.9	<u>Unspecified transient mental disorder in conditions classified elsewhere</u>	
294.0	<u>Amnestic disorder in conditions classified elsewhere</u>	
294.8	<u>Other persistent mental disorders due to conditions classified elsewhere</u>	
294.9	<u>Unspecified persistent mental disorders due to conditions classified elsewhere</u>	
295.40	<u>Schizophreniform disorder, unspecified</u>	<u>Ages 4-99</u>
295.41	<u>Schizophreniform disorder, subchronic</u>	<u>Ages 4-99</u>
295.42	<u>Schizophreniform disorder, chronic</u>	<u>Ages 4-99</u>
295.43	<u>Schizophreniform disorder, subchronic with acute exacerbation</u>	<u>Ages 4-99</u>
295.44	<u>Schizophreniform disorder, chronic with acute exacerbation</u>	<u>Ages 4-99</u>
295.45	<u>Schizophreniform disorder, in remission</u>	<u>Ages 4-99</u>
295.60	<u>Schizophrenic disorders, residual type, unspecified</u>	<u>Ages 4-99</u>
295.61	Schizophrenic disorders, residual type, subchronic	Ages 4-99
295.62	Schizophrenic disorders, residual type, chronic	Ages 4-99
295.63	Schizophrenic disorders, residual type, subchronic with acute exacerbation	Ages 4-99
295.64	Schizophrenic disorders, residual type, chronic with acute exacerbation	Ages 4-99
295.65	Schizophrenic disorders, residual type, in remission	Ages 4-99
295.70	<u>Schizoaffective disorder, unspecified</u>	<u>Ages 4-99</u>
295.71	Schizoaffective disorder, subchronic	Ages 4-99
295.72	Schizoaffective disorder, chronic	Ages 4-99
295.73	Schizoaffective disorder, subchronic with acute exacerbation	Ages 4-99
295.74	Schizoaffective disorder, chronic with acute exacerbation	Ages 4-99
295.75	Schizoaffective disorder, in remission	Ages 4-99

296.00	<u>Bipolar I disorder, single manic episode, unspecified</u>	
296.01	Bipolar I disorder, single manic episode, mild	
296.02	Bipolar I disorder, single manic episode, moderate	
296.03	Bipolar I disorder, single manic episode, severe, without mention of psychotic behavior	
296.04	Bipolar I disorder, single manic episode, severe, specified as with psychotic behavior	
296.05	Bipolar I disorder, single manic episode, in partial or unspecified remission	
296.06	Bipolar I disorder, single manic episode, in full remission	
296.40	Bipolar I disorder, most recent episode (or current) manic, unspecified	
296.41	Bipolar I disorder, most recent episode (or current) manic, mild	
296.42	Bipolar I disorder, most recent episode (or current) manic, moderate	
296.43	Bipolar I disorder, most recent episode (or current) manic, severe, without mention of psychotic behavior	
296.44	Bipolar I disorder, most recent episode (or current) manic, severe, specified as with psychotic behavior	
296.45	Bipolar I disorder, most recent episode (or current) manic, in partial or unspecified remission	
296.46	Bipolar I disorder, most recent episode (or current) manic, in full remission	
296.50	Bipolar I disorder, most recent episode (or current) depressed, unspecified	
296.51	Bipolar I disorder, most recent episode (or current) depressed, mild	
296.52	Bipolar I disorder, most recent episode (or current) depressed, moderate	
296.53	Bipolar I disorder, most recent episode (or current) depressed, severe, without mention of psychotic behavior	
296.54	Bipolar I disorder, most recent episode (or current) depressed, severe, specified as with psychotic behavior	
296.55	Bipolar I disorder, most recent episode (or current) depressed, in partial or unspecified remission	
296.56	Bipolar I disorder, most recent episode (or current) depressed, in full remission	
296.60	Bipolar I disorder, most recent episode (or current) mixed, unspecified	
296.61	Bipolar I disorder, most recent episode (or current) mixed, mild	

296.62	Bipolar I disorder, most recent episode (or current) mixed, moderate	
296.63	Bipolar I disorder, most recent episode (or current) mixed, severe, without mention of psychotic behavior	
296.64	Bipolar I disorder, most recent episode (or current) mixed, severe, specified as with psychotic behavior	
296.65	Bipolar I disorder, most recent episode (or current) mixed, in partial or unspecified remission	
296.66	Bipolar I disorder, most recent episode (or current) mixed, in full remission	
296.7	Bipolar I disorder, most recent episode (or current) unspecified	
296.80	Bipolar disorder, unspecified	
296.89	Other and unspecified bipolar disorders, other	
296.90	Unspecified episodic mood disorder	
296.99	Other specified episodic mood disorder	
297.1	Delusional disorder	
297.3	Shared Psychotic disorder	
299.00	Autistic disorder, current or active state	
299.01	Autistic disorder, residual state	
299.10	Childhood disintegrative disorder, current or active state	Ages 2-99
299.11	Childhood disintegrative disorder, residual state	Ages 2-99
299.80	Other specified pervasive developmental disorders, current or active state	
299.81	Other specified pervasive developmental disorders, residual state	
299.90	Unspecified pervasive developmental disorder, current or active state	
299.91	Unspecified pervasive developmental disorder, residual state	
300.01	Panic disorder without agoraphobia	
300.12	Dissociative amnesia	
300.13	Dissociative fugue	
300.14	Dissociative identity disorder	
300.16	Factitious disorder with predominantly psychological signs and symptoms	
300.21	Agoraphobia with panic disorder	
300.29	Other isolated or specific phobias	
300.4	Dysthymic disorder	
300.6	Depersonalization disorder	
300.89	Other somatoform disorders	Ages 10-99
300.9	Unspecified nonpsychotic mental disorder	

301.22	Schizotypal personality disorder	
301.4	Obsessive-compulsive personality disorder	
301.81	Narcissistic personality disorder	
301.82	Avoidant personality disorder	
301.83	Borderline personality disorder	
302.0	Ego-dystonic sexual orientation	Ages 10-99
302.3	Transvestic fetishism	
302.6	Gender identity disorder in children	Ages 0-21
302.71	Hypoactive sexual desire disorder	Ages 10-99
302.73	Female orgasmic disorder	Female only Ages 10-99
302.74	Male orgasmic disorder	Males only Ages 10-99
302.75	Premature ejaculation	Males only Ages 10-99
302.76	Dyspareunia, psychogenic	Females only
302.85	Gender identity disorder in adolescents or adjust	Ages 12-99
304.10	Sedative, hypnotic or anxiolytic dependence, unspecified	
304.11	Sedative, hypnotic or anxiolytic dependence, continuous	
304.12	Sedative, hypnotic or anxiolytic dependence, episodic	
304.13	Sedative, hypnotic or anxiolytic dependence, in remission	
305.40	Sedative, hypnotic or anxiolytic abuse, unspecified	
305.41	Sedative, hypnotic or anxiolytic abuse, continuous	
305.42	Sedative, hypnotic or anxiolytic abuse, episodic	
305.43	Sedative, hypnotic or anxiolytic abuse, in remission	
307.0	Stuttering	
307.21	Transient tic disorder	
307.22	Chronic motor or vocal tic disorder	
307.23	Tourette's disorder	
307.3	Stereotypic movement disorder	
307.45	Circadian rhythm sleep disorder	
307.46	Sleep arousal disorder	
307.51	Bulimia nervosa	Ages 10-99
307.53	Rumination disorder	
307.89	Other, pain disorder related to psychological factors	
309.0	Adjustment disorder with depressed mood	
309.24	Adjustment disorder with anxiety	

309.28	Adjustment disorder with mixed anxiety and depressed mood	
309.3	Adjustment disorder with disturbance of conduct	
309.4	Adjustment disorder with mixed disturbance of emotions and conduct	
309.81	Posttraumatic stress disorder	
310.1	Personality change due to conditions classified elsewhere	
313.23	Selective mutism	
313.81	Oppositional defiant disorder	
313.9	Unspecified emotional disturbance of childhood or adolescence	Ages 0-21
315.1	Mathematics disorder	
315.31	Expressive language disorder	
315.32	Mixed receptive-expressive language disorder	
315.4	Developmental coordination disorder	
521.7	Intrinsic post eruptive color changes	
760.70	Noxious influences affecting fetus or newborn via placenta or breast milk, unspecified noxious substance	
760.71	Noxious influences affecting fetus or newborn via placenta or breast milk, alcohol	
760.72	Noxious influences affecting fetus or newborn via placenta or breast milk, narcotics	
760.73	Noxious influences affecting fetus or newborn via placenta or breast milk, hallucinogenic agents	
760.74	Noxious influences affecting fetus or newborn via placenta or breast milk, anti-infectives	
760.75	Noxious influences affecting fetus or newborn via placenta or breast milk, cocaine	
760.76	Noxious influences affecting fetus or newborn via placenta or breast milk, diethylstilbestrol (DES)	
760.79	Noxious influences affecting fetus or newborn via placenta or breast milk, other	
780.8	Generalized hyperhidrosis	
795.00	Abnormal glandular Papanicolaou smear of cervix	
795.01	Papanicolaou smear of cervix with atypical squamous cells of undetermined significance (ASC-US)	
795.02	Papanicolaou smear of cervix with atypical squamous cells cannot exclude high grade squamous intraepithelial lesion (ASC-H)	
795.09	Other abnormal Papanicolaou smear of cervix and cervical HPV	
V07.4	Hormone replacement therapy (postmenopausal)	Ages 30-99