



#### Table of Contents

| Membership / County Overview                                    | 3  | Substance Use Disorder Data                                     | 22                |
|---|----|---|-------------------|
| County Enrollment Trend   | 4  | County Substance Use Disorder Claims                            | 23                |
| Current County Enrollment                                       | 5  | County Demographics of Members Diagnosed with SUD               | 24                |
| County Age Groups and Gender                                    | 6  | Reasons Members with SUD Used Health Services                   | 25                |
| County Member Ethnicity & Preferred Language                    | 7  | County Homeless with SUD  | 26                |
| County Homeless Demographics                                    | 8  | County Homeless and SUD Utilization                             | 27                |
| County Membership Assignment Status                             | 9  | County Behavioral Health Services used by Patients with SUD     | 28                |
| <b>Emergency Department, Hospital, and Provider Utilization</b> | 10 | Supplementary Data  | 29                |
| County Annual Emergency Department Use Trend                    | 11 | County Chronic Conditions Prevalence                            | 30                |
| Emergency Department Utilization                                | 12 | Fluoride Varnish Treatment Data                                 | 31                |
| County Hospital Use Rates: Acute Hospital Admissions & ALOS     | 13 | Fluoride Varnish Treatment by PCP                               | 32                |
| County Primary Care Visit Rates & Telehealth Trends             | 14 | Pre-Exposure Prophylaxis for HIV                                | 33                |
| County Specialty Visits Provided by Telehealth                  | 15 | Surveys and Screening Data                                      | 34                |
| County Behavioral Health Use                                    | 16 | Workforce Point in Time Survey                                  | 35                |
| County ACEs Screening Rates                                     | 17 | CAHPS Survey Results: Smoking Cessation                         | 36                |
| Obstetrics / Maternity Data                                     | 18 | CAHPS Survey Results: Advance Directives                        | 37                |
| County Maternity Data & Resources                               | 19 | County Lead Screening Data                                      | 38                |
| Maternity Data by Provider                                      | 20 | Appendix: HEDIS Information                                     | 39                |
| County Deliveries   | 21 | HEDIS HPA Rate Performance by County & Measure Set Descriptions | 40-54             |
|   |    | HEDIS Performance by Partnership County                         | 55-58             |
|   |    | Managed Care Accountability Site Measurement Set Descriptions   | 59-6 <sup>2</sup> |
|   |    |   |                   |




#### **Membership / County Overview**






#### County Enrollment Five Year Trend

#### **Shasta County Enrolled Members**





## Current County Enrollment (March 2024)



Partnership enrollment: ~917,000 in March 2024





# County Age Groups and Gender (March 2024)





| Membership by Gender |                |  |  |  |  |  |  |  |
|----------------------|----------------|--|--|--|--|--|--|--|
| FEMALE               | 52.4% (36,650) |  |  |  |  |  |  |  |
| MALE                 | 47.6% (33,346) |  |  |  |  |  |  |  |





### County Member Ethnicity & Preferred Language (March 2024)











## County Homeless Demographics (2022)



Homeless Rate in 14 Legacy Counties: 6%
Shasta: 9,103 Homeless Members; 2,529 Substance Use; 551
Severe Mental Health; 2 HIV/AIDS; 5,894 Chronic Homelessness
\* Homelessness is defined using several sources: patient address, use of homeless or unstable housing ICD10 code (not the Point In Time count done by the counties).





## County Membership Assignment Status (April 2024)

#### **Provider Panel Capacity**

This report shows the number of PHC members assigned to each clinic and their capacity to accept new members. Includes only clinics currently serving members.

| Enrollment Status     |  |  |  |  |  |  |
|-----------------------|--|--|--|--|--|--|
| All                   |  |  |  |  |  |  |
|                       |  |  |  |  |  |  |
| Open                  |  |  |  |  |  |  |
|                       |  |  |  |  |  |  |
| Current Patients Only |  |  |  |  |  |  |
|                       |  |  |  |  |  |  |
| Closed                |  |  |  |  |  |  |
|                       |  |  |  |  |  |  |

\* Providers with a member count under 100 are not shown.

|          |              |                              |            |                     |                                 |              | 2024         |
|----------|--------------|------------------------------|------------|---------------------|---------------------------------|--------------|--------------|
| PCP Affi | liation ID   | PCP Full Name                | PCP County | Clinic Type         | Current<br>Enrollment<br>Status | Member Count | % of Members |
| Total M  | embers Assig | 50,638                       | 100.0%     |                     |                                 |              |              |
| 27942    | 0001         | SHASTA COMM HEALTH CENTER    | SHASTA     | FQHC/ RHC           | Open                            | 20,466       | 40.4%        |
| 35929    | 0013         | CHURN CREEK HEALTHCARE       | SHASTA     | INDIAN HEALTH SERVI | Open                            | 6,891        | 13.6%        |
| 17323    | 0004         | ANDERSON FAMILY HLTHCTR      | SHASTA     | FQHC/ RHC           | Current Patient                 | 3,670        | 7.2%         |
| 27935    | 0001         | SHASTA LAKE FAM HLTH CNTR    | SHASTA     | FQHC/ RHC           | Open                            | 3,497        | 6.9%         |
| 17977    | 0014         | ANDERSON WALK IN CLINIC      | SHASTA     | PHYSICIAN GROUP     | Open                            | 2,875        | 5.7%         |
| 27936    | 0001         | HILL COUNTRY COMM CLINIC     | SHASTA     | FQHC/ RHC           | Open                            | 2,501        | 4.9%         |
| 35161    | 0001         | CENTER OF HOPE               | SHASTA     | FQHC/ RHC           | Open                            | 2,278        | 4.5%         |
| 28373    | 0004         | REDDING RANCH TRIBAL HEALTH  | SHASTA     | INDIAN HEALTH SERVI | Open                            | 1,960        | 3.9%         |
| 22704    | 0004         | FALL RIVER VALLEY HC         | SHASTA     | FQHC/ RHC           | Open                            | 823          | 1.6%         |
| 27934    | 0001         | BURNEY HEALTH CENTER         | SHASTA     | FQHC/ RHC           | Open                            | 797          | 1.6%         |
| 37506    | 0004         | ANDERSON WALK IN MEDICAL     | SHASTA     | PHYSICIAN GROUP     | Open                            | 739          | 1.5%         |
| 67777    | 0001         | ENTERPRISE FAM HEALTH VISION | SHASTA     | FQHC/ RHC           | Current Patient                 | 629          | 1.2%         |
| 27946    | 0001         | SHINGLETOWN MEDICAL CENTER   | SHASTA     | FQHC/ RHC           | Open                            | 601          | 1.2%         |
| 24146    | 0011         | PIT RIVER HEALTH SERVICE     | SHASTA     | FQHC TRIBAL APM     | Open                            | 384          | 0.8%         |
|          |              |                              |            | INDIAN HEALTH SERVI | Open                            | 183          | 0.4%         |
| 47754    | 0001         | HILL COUNTRY COMM CLINIC     | SHASTA     | FQHC/ RHC           | Open                            | 564          | 1.1%         |
| 80320    | 0003         | SHASTA REGIONAL MED          | SHASTA     | PHYSICIAN GROUP     | Current Patient                 | 520          | 1.0%         |
| 27942    | 0062         | SHASTA COMM HEALTH CENTER    | SHASTA     | FQHC/ RHC           | Open                            | 358          | 0.7%         |
| 73166    | 0010         | MAYERS RURAL HEALTH CENTER   | SHASTA     | FQHC/ RHC           | Open                            | 321          | 0.6%         |
| 53120    | 0004         | ANDERSON WALK IN MEDICAL     | SHASTA     | PHYSICIAN GROUP     | Open                            | 274          | 0.5%         |
| 32497    | 0004         | SHASTA REGIONAL MED          | SHASTA     | PHYSICIAN GROUP     | Current Patient                 | 120          | 0.2%         |




# **Emergency Department, Hospital, and Provider Utilization**





# County Annual Emergency Department Use Trend (2019-2023)


#### **Shasta County ED Visits Vs Partnership Yearly Visit Rates per 1000 Members**



Shasta County ED visit rates are consistent with the Partnership use rate.




## Emergency Department Utilization (2023)







#### County Hospital Use Rates (2020-2023) Acute Hospital Admissions & Average Length of Stay





Shasta County hospital length of stay is lower than Plan average for 2020 through 2023 but rising. The rate of inpatient admissions has declined but remains above Plan average.





## County Primary Care Visit Rates & Telehealth Trends






Primary care visits per member per year in Shasta County are slightly higher than the Partnership average. In 2023, 2.2% of total primary care visits were provided through telehealth (video or phone) compared to 15.6% Planwide.





#### County Specialty Visits Provided by Telehealth (Video and Phone)



■ Shasta County

| Specialty<br>(Eight Most Commonly<br>Used Telehealth<br>Specialties) | Percent Visits by Telehealth |  |  |
|--|------------------------------|--|--|
| Partnership  | CY 2023                      |  |  |
| Psychiatry   | 66%                          |  |  |
| Rheumatology   | 39%                          |  |  |
| Endocrinology  | 38%                          |  |  |
| Neurology  | 26%                          |  |  |
| Infectious Disease   | 18%                          |  |  |
| Pulmonary Disease  | 16%                          |  |  |
| Urology  | 8%                           |  |  |
| Dermatology  | 4%                           |  |  |


The provision of specialty care via telehealth remains a major tool to improve access. Approximately half of specialty visits in Shasta County are provided by telehealth.

Planwide



## County Behavioral Health Use (All Ages)

#### **Percent of Total Members Using Behavioral Health Services**



| Shasta County Utilization Data for 2023 |             |                        |  |  |  |  |  |  |  |
|---|-------------|------------------------|--|--|--|--|--|--|--|
| Provider Type                           | Visits 2023 | Avg. Visits per Member |  |  |  |  |  |  |  |
| Therapy Services                        | 104,028     | 13.5                   |  |  |  |  |  |  |  |
| Medical Management                      | 16,232      | 4.3                    |  |  |  |  |  |  |  |
| Other                                   | 27,836      | 6.7                    |  |  |  |  |  |  |  |





#### County ACEs Screening Rates (2023)

#### Data Description:

Adverse Childhood Experiences (ACEs) are traumatic events children between the ages of 0-18 may experience such as violence, exposure to drug abuse, family abuse, self-harm and more. ACEs screenings help identify whether children are in unhealthy/unsafe environments and seeks to find opportunities to prevent and address the risks of those traumatic events. Screening data includes all billed claims with codes G9919 and G9920 from the last 5 years except the last 2 quarters and all eligible PHC members. Excluded data are all Kaiser, Medi-Medi, deceased, newborns, and Wellness & Recovery members. All Carelon ACEs Screenings are excluded from the data.

#### Calculations:

Yearly Claims per 1,000 Members:

Total Sum of 2023 ACEs Claims / Number of Partnership Members in 2023


Monthly Claims per 1,0000 Members (trendline):

Total Sum of Monthly ACEs Claims / Number of Partnership Members in 2023

Legend: Age Groups

0-18









#### **Obstetrics / Maternity Data**





### County Maternity Data & Resources (2022)

- Hospitals with maternity services (does not include Kaiser):
  - Dignity Health Mercy Medical Center Redding: 877 Partnership members delivered, 1677 deliveries total in 2022
- Shasta County births by residence of mother: 1775
  - Source: CDPH
- Shasta County Partnership member deliveries by residence of mother: 914
- Percentage of Partnership members seen in CPSP program: 35.4%
  - Other county range: 0.6% to 77.1%
- Prenatal care providers: Mercy Family Practice Redding, Shasta Community Health Center Redding, Obstetrics & Gynecology Medical Associates of Redding Inc. – Generations of Women and MD Aesthetics, Common Spirit: Mercy Family Practice and Mercy Mt Shasta, Women's Healthcare Associates of Redding: Selah Women's Health and Redding.
- Sweet Success Program: Shasta Community Health Maternity Center
- Birth Center in Shasta: Shasta Midwives Birth Center, Shasta Midwives Home Birth Service

If you have corrections for this info, please email:

rmoore@partnershiphp.org, llago@partnershiphp.org, or ctownsend@partnershiphp.org.



# Maternity Data by Provider (2022)

|                       |  |  |  |   |  |   |  |   |  |  |  |  |                      |   |  |  |  |   |   | '  |
|-----------------------|--|--|--|---|--|---|--|---|--|--|--|--|----------------------|---|--|--|--|---|---|--|
|                       |  |  | NTS  | v C-Se  | ction Rate   |   | •  | •   | Breastf  | eeding   | Rate (CDPH)  | Epis   | sioton               | ny Rate   |  | VBAC   | Rate   | VBAC<br>Routinely<br>Available  | Midwife D   | Delivery   |
| Partnership<br>Region |  | l l  |  |   |  | Denomina<br>tor   | Score (%)  | ) Rating  |  |  | Rating   |  |                      | Rating  |  |  | Rating   | Yes/No  |   | Score<br>[%]   |
| Southwest             | Lake   | Clearlake  | 40   | 10 <sup>′</sup>   | Above Average  | 21  |  | )% Above Average  | 158  | 72.2   | Average  | 130  | 2.3                  | Average   |  |  |  | No  | 155   | 0  |
| Southwest             | Lake   | Lakeport   | 72   | 20.8′   | Above Average  | 47  | 2.10   | 0% Below Average  | 236  | 62.3   | Below Average  | 171  | 0.6                  | Above Average   |  |  |  | No  | 246   | 0  |
| Southwest             | Marin  | Greenbrae  | 480  | 21 <sup>'</sup>   | Above Average  | 63  |  | )% Above Average  | 1077   | 89.4   | Superior   | 1093   | 0.5                  | Superior  | 207  | 37.2   | Superior   | Yes   | 1490  | 43.6   |
| Southwest             | Mendocino  | Ukiah  | 227  | 22.5  | Average  |   |  |   | 715  | 81.5   | Above Average  | 537  | 1.7                  | Average   |  |  |  | No  | 748   | 47.1   |
| Southwest             | Sonoma   | Santa Rosa   | 525  | 21.3 <sup>′</sup>   | Above Average  |   |  |   | 1264   | 74.8   | Average  | 1053   | 0.9                  | Above Average   |  |  |  | No  | 1552  | 1.4  |
| Southwest             | Sonoma   | Santa Rosa   | 175  | 21.1 <sup>′</sup>   | Above Average  | 30.0  | 3.3  | 3% Below Average  | 459  | 90.2   | Superior   | 368  | 0.0                  | Superior  | 91   | 36.3   | Superior   | Yes   | 534   | 50.2   |
| Southeast             | Napa   | Napa   | 228  | 22.4  | + Average  | 34  | 5.90   | 0% Below Average  | 630  | 83   | Above Average  | 478  | 0.6                  | Above Average   | 108  | 25   | Above Average  | Yes   | 688   | 0  |
| Southeast             | Solano   | Fairfield  | 489  | 26.4  | 4 Below Average  | 144   | 1.40   | )% Average  | 1089   | 72.5   | Average  | 1078   | 1.3                  | Average   | 260  | 12.7   | Average  | Yes   | 1619  | 0  |
| Southeast             | Yolo   | Woodland   | 176  | 16.5  | Above Average  | 40  | С  | )% Above Average  | 457  | 82.5   | Above Average  | 382  | 1.6                  | Average   |  |  |  | No  | 521   | 0  |
| Southeast             | Yolo   | Davis  | 403  | 17.4  | + Superior   |   |  |   | 1063   | 91.6   | Superior   | 894  | 1.1                  | Above Average   | 142  | 34.5   | Superior   | Yes   | 1143  | 59.4   |
| Northwest             | Del Norte  | Crescent City  | 79   | 21.5  | Above Average  |   |  |   | 211  | 74.9   | Average  | 169  | 5.9                  | Below Average   |  |  |  | No  | 242   | 0  |
| Northwest             | Humboldt   | Arcata   | 135  | 20.7  | Above Average  | 20  | С  | )% Above Average  | 447  | 83.9   | Above Average  | 304  | 1.6                  | Average   |  |  |  | No  | 398   | 22.9   |
| Northwest             | Humboldt   | Eureka   | 240  | 20.8  | Above Average  | 41  |  | )% Above Average  | 379  | 67.5   | Below Average  | 515  | 2.3                  | Average   | 104  | 19.2   | Average  | Yes   | 723   | 17.7   |
| Northeast             | Lassen   | Susanville   | 72   | 22.2  | ∠ Average  | 22  |  | )% Above Average  | 218  | 74.8   | Average  | 136  | 7.4                  | Below Average   |  |  |  | No  | 197   | 0  |
| Northeast             | Shasta   | Redding  | 524  | 22.9  | Average  | 213   | 1.40   | )% Average  | 1507   | 75   | Above Average  | 1124   | 1.7                  | Average   |  |  |  | No  | 1677  | 0  |
| Northeast             | Siskiyou   | Mount Shasta   | 41   | 34.1  | 1 Below Average  | 9   | 11.10  | )% Below Average  | 99   | 80.8   | 3 Average  | 78   | 1.3                  | Average   |  |  |  | No  | 119   | o  |
| Northeast             | Siskiyou   | Yreka  | 36   | 36.1 <sup>*</sup>   | 1 Below Average  | 11  | 9.10   | 0% Below Average  | 170  | 80   | ) Average  | 104  | 6.7                  | Below Average   | 41   | 17.1   | Average  | Yes   | 182   | 0  |
| Northeast             | Tehama   | Red Bluff  | 190  | 18.9  | Above Average  | 47.0  | C  | 0.0 Above Average   | 453  | 72.8   | Average  | 403  | 2.2                  | Average   |  |  |  | No  | 556   | 18.3   |
| Eastern               | Butte  | Oroville   | 121  | 25.6  | Below Average  |   |  |   | 465  | 60.2   | Below Average  | 253  | 5.1                  | Average   |  |  |  | No  | 429   | 43.8   |
| Eastern               | Butte  | Chico  | 635  | 20.5 <sup>′</sup>   | Above Average د  |   |  |   | 1730   | 86.6   | Above Average  | 1380   | 1.8                  | Average   | 260  | 22.3   | Average  | Yes   | 1916  | 22.9   |
| Eastern               | Nevada   | Grass Valley   | 133  | 25.6 <sup>'</sup>   | 6 Below Average  |   |  |   | 281  | 90.7   | Superior   | 245  | 3.7                  | Average   |  |  |  | No  | 339   | 10.6   |
| Eastern               | Nevada   | Truckee  | 140  | 15  | Superior   |   |  |   | 290  | 94.5   | Superior   | 278  | 4.3                  | Average   |  |  |  | No  | 375   | 0  |
| Eastern               | Placer   | Roseville  | 853  | 23.3  | ا Average  |   |  |   | 2068   | 74.2   | 2 Average  | 1704   | 2.7                  | Average   | 310  | 13.5   | Average  | Yes   | 2402  | 0  |
| Eastern               | Yuba   | Marysville   | 508  | 21.9 <sup>/</sup>   | Above Average  |   |  |   | 1641   | 67.2   | Below Average  | 1254   | 2                    | Average   | 288  | 10.8   | Average  | Yes   | 1791  | 0.7  |
|                       | Region Southwest Southwest Southwest Southwest Southwest Southwest Southeast Southeast Southeast Southeast Northwest Northwest Northwest Northeast Northeast Northeast Southeast Northeast Northeast Northeast Southeast Northwest Northwest Northeast Northeast Southeast Northwest Northwest Northeast Northeast Northeast Southeast Northeast Northeast Northeast Northeast Southeast Northeast Northeast Northeast Southeast Northeast Northeast Northeast Northeast Southeast Northeast | Region County Southwest Lake Southwest Marin Southwest Mendocino Southwest Sonoma Southwest Sonoma Southeast Napa Southeast Yolo Southeast Yolo Northwest Del Norte Northwest Humboldt Northwest Humboldt Northeast Shasta  Northeast Siskiyou Northeast Siskiyou Northeast Tehama Eastern Butte Eastern Nevada Eastern Placer | RegionCountyCitySouthwestLakeClearlakeSouthwestLakeLakeportSouthwestMarinGreenbraeSouthwestMendocinoUkiahSouthwestSonomaSanta RosaSouthwestSonomaSanta RosaSoutheastNapaNapaSoutheastYoloWoodlandSoutheastYoloDavisNorthwestDel NorteCrescent CityNorthwestHumboldtArcataNorthwestHumboldtEurekaNortheastLassenSusanvilleNortheastShastaReddingNortheastSiskiyouMount ShastaNortheastTehamaRed BluffEasternButteOrovilleEasternButteChicoEasternNevadaGrass ValleyEasternPlacerRoseville | Partnership RegionCountyCityDenomina StortorSouthwestLakeClearlake40SouthwestLakeLakeport72SouthwestMarinGreenbrae480SouthwestMendocinoUkiah227SouthwestSonomaSanta Rosa525SouthwestSonomaSanta Rosa175SoutheastNapaNapa228SoutheastSolanoFairfield489SoutheastYoloWoodland176SoutheastYoloDavis403NorthwestDel NorteCrescent City79NorthwestHumboldtArcata135NorthwestHumboldtEureka240NortheastLassenSusanville72NortheastShastaRedding524NortheastSiskiyouMount Shasta41NortheastTehamaRed Bluff190EasternButteOroville121EasternNevadaGrass Valley133EasternNevadaTruckee140EasternPlacerRoseville853 | Partnership RegionCountyCityDenomina tor Image (Marcina)Score tor Image (Marcina)Southwest LakeLakeport7220.8Southwest MarinGreenbrae48021Southwest MendocinoUkiah22722.5Southwest SonomaSanta Rosa52521.3Southwest SonomaSanta Rosa17521.1Southeast NapaNapa22822.4Southeast SolanoFairfield48926.4Southeast YoloWoodland17616.5Southeast YoloDavis40317.4Northwest Del NorteCrescent City7921.5Northwest Humboldt Arcata13520.7Northwest Humboldt Eureka24020.8Northeast Lassen Susanville7222.2Northeast Shasta Redding52422.9Northeast Siskiyou Mount Shasta4134.1Northeast Tehama Red Bluff19018.9Eastern Butte Oroville12125.6Eastern Nevada Grass Valley13325.6Eastern Nevada Truckee14015Eastern Placer Roseville85323.3 | RegionCountyCitytor[%]RatingSouthwestLakeClearlake4010 Above AverageSouthwestLakeLakeport7220.8 Above AverageSouthwestMarinGreenbrae48021 Above AverageSouthwestMendocinoUkiah22722.5 AverageSouthwestSonomaSanta Rosa52521.3 Above AverageSouthwestSonomaSanta Rosa17521.1 Above AverageSoutheastNapaNapa22822.4 AverageSoutheastSolanoFairfield48926.4 Below AverageSoutheastYoloWoodland17616.5 Above AverageSoutheastYoloDavis40317.4 SuperiorNorthwestPel NorteCrescent City7921.5 Above AverageNorthwestHumboldtArcata13520.7 Above AverageNorthwestHumboldtEureka24020.8 Above AverageNortheastLassenSusanville7222.2 AverageNortheastSiskiyouMount Shasta4134.1 Below AverageNortheastSiskiyouYreka3636.1 Below AverageRasternButteOroville12125.6 Below AverageEasternNevadaGrass Valley13325.6 Below AverageEasternNevadaTruckee14015 SuperiorEasternPlacerRoseville85323.3 Average | Partnership Region County City Denomina Score [%] Rating Denomina tor Southwest Lake Clearlake 40 10 Above Average 21 Southwest Lake Lakeport 72 20.8 Above Average 47 Southwest Marin Greenbrae 480 21 Above Average 63 Southwest Sonoma Santa Rosa 525 21.3 Above Average 50 Southwest Sonoma Santa Rosa 525 21.3 Above Average 30.0 Southwest Sonoma Santa Rosa 175 21.1 Above Average 30.0 Southeast Napa Napa 228 22.4 Average 34 Southeast Solano Fairfield 489 26.4 Below Average 144 Southeast Yolo Woodland 176 16.5 Above Average 40 Southwest Yolo Davis 403 17.4 Superior Northwest Humboldt Arcata 135 20.7 Above Average 20 Northwest Humboldt Eureka 240 20.8 Above Average 21 Northeast Shasta Redding 524 22.9 Average 21 Northeast Siskiyou Mount Shasta 41 34.1 Below Average 11 Northeast Siskiyou Yreka 36 36.1 Below Average 11 Northeast Tehama Red Bluff 190 18.9 Above Average 47.0 Eastern Butte Oroville 121 25.6 Below Average Eastern Nevada Truckee 140 15 Superior Rater Nevada Truckee 140 15 Superior Eastern Placer Roseville 853 23.3 Average | Partnership Region County City bornomina   Score tor   [%] Rating   Denomina tor   Score (%)   Southwest Lake Clearlake | Partnership Region County City benomina Score tor [%] Rating Denomina for Score (%) Rating Southwest Lake Clearlake 40 10 Above Average 21 0% Above Average Southwest Lake Lakeport 72 20.8 Above Average 47 2.10% Below Average Southwest Marin Greenbrae 480 21 Above Average 63 0% Above Average Southwest Mendocino Ukiah 227 22.5 Average Southwest Sonoma Santa Rosa 525 21.3 Above Average 30.0 3.3% Below Average Southwest Sonoma Santa Rosa 175 21.1 Above Average 30.0 3.3% Below Average Southeast Napa Napa 228 22.4 Average 34 5.90% Below Average Southeast Solano Fairfield 489 26.4 Below Average 144 1.40% Average Southeast Yolo Woodland 176 16.5 Above Average 40 0% Above Average Southeast Yolo Davis 403 17.4 Superior Northwest Humboldt Arcata 135 20.7 Above Average 20 0% Above Average Northwest Lassen Susanville 72 22.2 Average 20 0% Above Average Northeast Shasta Redding 524 22.9 Average 213 1.40% Average Northeast Siskiyou Mount Shasta 41 34.1 Below Average 21 1.40% Average Northeast Siskiyou Yreka 36 36.1 Below Average 47.0 0.0 Above Average Eastern Butte Chico 635 20.5 Above Average 47.0 0.0 Above Average Eastern Nevada Grass Valley 133 25.6 Below Average Eastern Nevada Truckee 140 15 Superior Eastern Placer Roseville 853 23.3 Average | Partnership   County   City   Denomina   Score   Kating   Denomina   Denomina   Score   Kating   Denomina   Score   Kating   Denomina   Score   City   Denomina   City | Partnership   County   City   Denomina   Score   Rating   Denomina   Score   Rating   Denomina   Score   Rating   Denomina   Score   Rating   Denomina   Score   Sco | Partnership   County   City   Denomina   Score   Kating   Denomina   Score   Cating   Denomina   Cating   Denomina   Score   Cating   Denomina   Cating   Denomina   Score   Cating   Denomina   Denomina   Cating   Denomina   Denomi | Partnership   County | Partnership   Region   County   City   Denomina   Score   Rating   Denomina   Denomina | Partnership   County   City   Denomina   Score   Rating   Denomina   Score   Denomina   Score   Rating   Denomina   Score   Rating   Denomina   Score   Rating   Denomina   Score   Denomina   Denomi | Partnership   County   City   Denomina   Score   Rating   Native   Native | Partnership   Region   County   City   Cit | Partnership   Courty   City   City | Partnership   City   City | Partnershing   County   Coun |


| <del></del> |          | Early Elective<br>Delivery |        | Episiotomy<br>Rate | VBAC rate | CNM delivery rate |
|-------------|----------|----------------------------|--------|--------------------|-----------|-------------------|
| Above Avg   | <21.9%   | <1%                        | >75%   | <1.2%              | >25%      | >10%              |
| Avg         | 22-23.6% | 1-2%                       | 70-75% | 1.5 - 5.0%         | 10 - 25%  |                   |
| Below Avg   | >23.6%   | >2%                        | <70%   | >5.0%              | <10%      | <10%              |





## County Deliveries (2023)

#### **Deliveries by County**



In 2023, Partnership members had a total of 8,099 deliveries, an average length of stay (ALOS) of 2.51 days, and a C-section rate of 25.3%.





# Substance Use Disorder (SUD) Data






## County Substance Use Disorder Claims (2023)

#### Paid Claims with Substance Use Disorder Diagnoses or Procedures

This view shows information on all the medical claims paid by PHC that had at least one substance use disorder diagnosis or procedure code in any position in the claim summarized by year and substance type, procedure, and service location.

Member Count: 7,920 Claims Count: 196,862 Total Paid: \$81,024,958 in 2023

Year of Service Choose Location Level Choose Location Homelessness Age Group Risk Class Kaiser Status








#### County Demographics of Members Diagnosed with SUD (2023)

This view describes the demographic characteristics of PHC members who had claims with any substance use disorder diagnosis or procedure, the prevalence of major chronic conditions, diagnosis



SUD Claims Avg per Yr

Count of Mbrs



SUD Claims Avg per Yr

Count of Mbrs



### Reasons Members with SUD Used Health Services (2023)

#### Top Reasons Members with SUD Saw Health Services


This view compares the top chief complaints of members previously diagnosed with SUD who received care in different provider settings (acute hospitals, ED, PCPs and mild-to-moderate mental health providers) in a yearly basis.


 Year
 Choose Location Level
 Choose Location
 Age Group

 2023
 Mbr County
 SHASTA
 All



|        | Top 10 Primary Diagnoses in Acute Inp                        | oatient Stays | Top 10 Primary Diagnoses in Emergency Dept. Visits |  |     |  |  |
|--------|--|---------------|--|--|-----|--|--|
| A419   | SEPSIS, UNSPECIFIED ORGANISM                                 | 365           | R079   | CHEST PAIN, UNSPECIFIED                      | 439 |  |  |
| E1010  | TYPE 1 DIABETES MELLITUS WITH KETOACIDOSIS WITHOUT COMA      | 68            | R109   | UNSPECIFIED ABDOMINAL PAIN                   | 337 |  |  |
| F10239 | ALCOHOL DEPENDENCE WITH WITHDRAWAL, UNSPECIFIED              | 86            | N390   | URINARY TRACT INFECTION, SITE NOT SPECIFIED  | 390 |  |  |
| I110   | HYPERTENSIVE HEART DISEASE WITH HEART FAILURE                | 58            | R0789  | OTHER CHEST PAIN                             | 400 |  |  |
| I130   | HYP HRT & CHR KDNY DIS W HRT FAIL AND STG                    | 43            | R112   | NAUSEA WITH VOMITING, UNSPECIFIED            | 306 |  |  |
|        | 1-4/UNSP CHR KDNY  |               | K047   | PERIAPICAL ABSCESS WITHOUT SINUS             | 353 |  |  |
| J189   | PNEUMONIA, UNSPECIFIED ORGANISM                              | 52            | R45851   | SUICIDAL IDEATIONS                           | 348 |  |  |
| J441   | CHRONIC OBSTRUCTIVE PULMONARY DISEASE W (ACUTE) EXACERBATION | 40            | R519   | HEADACHE, UNSPECIFIED                        | 173 |  |  |
| J9601  | ACUTE RESPIRATORY FAILURE WITH HYPOXIA                       | 43            |  | Null   | 33  |  |  |
| L03116 | CELLULITIS OF LEFT LOWER LIMB                                | 27            | F10129   | ALCOHOL ABUSE WITH INTOXICATION, UNSPECIFIED | 227 |  |  |
| N179   | ACUTE KIDNEY FAILURE, UNSPECIFIED                            | 55            | F419   | ANXIETY DISORDER, UNSPECIFIED                | 191 |  |  |









#### County Homeless with SUD (2023)

This view describes the demographic characteristics of PHC members who had claims with any substance use disorder diagnosis or procedure, the prevalence of major chronic conditions, diagnosis

occurrence during pregnancy, and homelessness status at the time of service for those members.



\* Homelessness defined using several sources: patient address, use of homeless or unstable housing ICD10 code (not the Point In Time count done by the counties).





# County Homeless and SUD Utilization (2023)

#### Services Utilized by Members Diagnosed with Substance Use Disorder

Data Sources: Medical claims (Amisys), MedImpact claims, State Drug Carveout claims, Beacon claims, Membership data




This view shows information on all the medical and behavioral services received by PHC members who had been previously diagnosed with substance use disorder.

| Year of Service | Choose Location Level | Location | Homelessness | Age Group | Kaiser Status |
|-----------------|-----------------------|----------|--------------|-----------|---------------|
| 2023 ▼          | Mbr County ▼          | SHASTA ▼ | Υ •          | (All)     | (All) ▼       |

#### Utilization Summary by Type of Service

\* Homelessness defined using several sources: patient address, use of homeless or unstable housing ICD10 code (not the Point In Time count done by the counties).








#### County Behavioral Health Services used by Patients with SUD (2023)

#### Behavioral Services Utilized by Members Diagnosed with Substance Use Disorder

Data Sources: State Drug Carveout claims, Beacon claims, Membership data

This view shows information on all the medical and behavioral services received by PHC members who had been previously diagnosed with substance use disorder.






#### **Supplementary Data**





## County Chronic Conditions Prevalence


This dashboard provides an estimate of the number of members having a certain chronic condition in the selected year and the trend over years. Prevalence is represented as number of cases per 1000 members. Children are 0-21 years of age.







## Fluoride Varnish Treatment Data (Age 20 or Under, 2021-2023)







## Fluoride Varnish Treatment by PCP (2021-2023)

Rate of FV Treatment by PCP (Top 20 PCP with highest assigned members)

|                              | 20              | 21             | 20              | 22             | 2023            |                |  |  |
|------------------------------|-----------------|----------------|-----------------|----------------|-----------------|----------------|--|--|
| PCP Name                     | Members with FV | Percent by PCP | Members with FV | Percent by PCP | Members with FV | Percent by PCP |  |  |
| SHASTA COMM HEALTH CENTER    | 726             | 6%             | 731             | 6%             | 1,218           | 10%            |  |  |
| SRCH PEDIATRIC CAMPUS        | 487             | 8%             | 580             | 9%             | 724             | 12%            |  |  |
| SRCH LOMBARDI CAMPUS         | 593             | 14%            | 582             | 17%            | 711             | 18%            |  |  |
| HILLSIDE HEALTH CENTER       | 117             | 3%             | 157             | 4%             | 498             | 12%            |  |  |
| WOODLAND CLINIC              | 335             | 4%             | 446             | 5%             | 458             | 5%             |  |  |
| ADVENTIST HLTH UKIAH VALLEY  | 258             | 5%             | 324             | 7%             | 360             | 8%             |  |  |
| VISTA FAMILY HEALTH CENTER   | 221             | 6%             | 204             | 5%             | 266             | 7%             |  |  |
| SRCH DUTTON CAMPUS           | 187             | 7%             | 202             | 7%             | 263             | 8%             |  |  |
| OLE HEALTH                   | 152             | 1%             | 169             | 1%             | 202             | 2%             |  |  |
| SOLANO COUNTY HLTH SVC       | 276             | 2%             | 211             | 2%             | 185             | 2%             |  |  |
| LA CLINICA NORTH VALLEJO     | 54              | 1%             | 30              | 1%             | 164             | 4%             |  |  |
| CENTER FOR PRIMARY CARE      | 178             | 4%             | 152             | 3%             | 117             | 3%             |  |  |
| ADVENTIST HLTH CLEARLAKE     | 119             | 1%             | 126             | 2%             | 112             | 1%             |  |  |
| COMMUNITY MED CNTR VACAVILLE | 536             | 16%            | 616             | 17%            | 90              | 5%             |  |  |
| LAKE COUNTY TRIBAL HEALTH    | 49              | 2%             | 77              | 2%             | 81              | 2%             |  |  |
| PETALUMA HEALTH CENTER       | 74              | 1%             | 73              | 1%             | 64              | 1%             |  |  |
| MARIN COMM CLN SAN RAFAEL    | 68              | 1%             | 66              | 1%             | 51              | 1%             |  |  |
| LA CLINICA VALLEJO           | 48              | 1%             | 34              | 1%             | 39              | 1%             |  |  |
| EUREKA COMM HEALTH CENTER    | 154             | 3%             | 39              | 1%             | 16              | 0%             |  |  |
| REDWOOD PEDS MEDICAL GROUP   | 9               | 0%             | 9               | 0%             | 11              | 0%             |  |  |

Does not include Kaiser- and Wellness & Recovery-only members.



## Pre-Exposure Prophylaxis (PrEP) for HIV (2023)

| County      | Adherent to PrEP<br>treatment | Non-adherent. At least 60<br>day gap | Discontinued PrEP by end of<br>year. Started PrEP in CY<br>2023 but no meds for at<br>least November and<br>December 2023 |  |  |
|-------------|-------------------------------|--------------------------------------|---|--|--|
| DE          | 5                             | 0                                    | 5   |  |  |
| HU          | 42                            | 14                                   | 46  |  |  |
| LA          | 0                             | 0                                    | 3   |  |  |
| LK          | 18                            | 1                                    | 12  |  |  |
| MA          | 34                            | 10                                   | 41  |  |  |
| ME          | 9                             | 3                                    | 16  |  |  |
| МО          | 1                             | 0                                    | 0   |  |  |
| NA          | 22                            | 4                                    | 25  |  |  |
| SH          | 23                            | 2                                    | 17  |  |  |
| SI          | 7                             | 1                                    | 7   |  |  |
| SM          | 104                           | 31                                   | 112   |  |  |
| SO          | 82                            | 20                                   | 82  |  |  |
| TR          | 1                             | 0                                    | 0   |  |  |
| YO          | 38                            | 5                                    | 38  |  |  |
| Grand Total | 386                           | 91                                   | 404   |  |  |






#### **Surveys and Screening Data**





## Workforce Point in Time Survey (January 2023)

Partnership staff conducted a survey of primary care organizations across the 14 county region. The results shown below indicate the current primary care provider vacancies weighted by available positions per county. The plan wide vacancy rate is 24.5%, representing 296 clinician vacancies (~200 physicians and 100 NP/PA positions).



All primary care practices are challenged by workforce shortages impacting access to care, quality, workforce burnout, retention and more. Primary care shortages range from a low of 15% to high of 38%. The Partnership plan wide average is 24%.





### CAHPS Survey Results: Flu & Smoking Cessation (2023)

|                 | Q28 (Influenza Vaccines) Have you had either a flu shot or flu spray in the nose since July 1, 2020?  Yes No Don't know |                |       | Q29  Do you now smoke cigarettes or use tobacco every day, some days, or no at all?  Every Some Not at day days all |              |                | ays, or not  | Q30  In the last 12 months, how often were you advised to quit smoking or using tobacco by a doctor or other health provider in your plan?*  Never Sometimes Usually Always |        |                |                | Q31 In the last 12 months, how often was medication recommended or discussed by a doctor or health provider to assist you with quitting smoking or using tobacco?*  Never Sometimes Usually Always |        |               |                | In the last 12 months, how often did your doctor or health provider discuss or provide methods and strategies other than medication to assist you with quitting smoking or using tobacco?*  Never Sometimes Usually Always |         |       |                | Complete<br>s |
|-----------------|---|----------------|-------|---|--------------|----------------|--------------|---|--------|----------------|----------------|--|--------|---------------|----------------|--|---------|-------|----------------|---------------|
| County          | 26.00/  | 66.00/         | 9.00/ | 26.00/  | 2.00/        | 72.00/         | 0.00/        | 1.4.20/   | 14.30/ | 21.40/         | FO 00/         | 20.60/   | 20.60/ | 0.00/         | 42.00/         | 42.00/   | 14.30/  | 7 10/ | 25 70/         | F1            |
| Trinity<br>Yolo | 26.0%<br>56.5%  | 66.0%<br>34.5% | 9.0%  | 26.0%<br>8.8%   | 2.0%<br>5.6% | 72.0%<br>83.7% | 0.0%<br>1.9% | 14.3%<br>19.4%  |        | 21.4%<br>17.9% | 50.0%<br>41.8% | 28.6%<br>25.8%   |        | 0.0%<br>21.2% | 42.9%<br>36.4% | 42.9%<br>31.3%   |         |       | 35.7%<br>31.3% |               |
| Siskiyou        | 47.2%   | 49.1%          | 3.7%  | 17.2%   | 3.9%         | 78.9%          | 0.0%         | 10.5%   |        | 19.8%          | 44.2%          | 30.2%  |        | 22.1%         | 23.3%          | 36.0%  |         |       | 10.5%          |               |
| Sonoma          | 48.1%   | 45.3%          | 6.6%  | 7.8%  | 5.1%         | 86.6%          | 0.4%         | 17.8%   |        |                | 45.6%          | 27.2%  |        | 23.9%         | 35.9%          | 33.7%  |         |       |                |               |
| Lassen          | 34.6%   | 61.7%          | 3.7%  | 23.4%   | 9.0%         | 67.5%          | 0.0%         | 17.8%   |        |                | 52.1%          | 42.6%  |        |               | 21.6%          | 50.3%  |         | -     | 17.9%          |               |
| Shasta          | 41.5%   | 53.4%          | 5.1%  | 18.1%   | 5.7%         | 75.8%          | 0.4%         | 15.4%   |        | 22.3%          |                | 39.1%  | 25.0%  |               | 25.8%          | 45.7%  |         |       | 15.5%          |               |
| Del Norte       | 50.7%   | 37.3%          | 11.9% | 14.9%   | 10.4%        | 74.6%          | 0.0%         | 13.3%   |        |                | 40.0%          | 33.3%  |        |               | 0.0%           | 52.9%  |         |       | 11.8%          |               |
| Modoc           | 54.5%   | 45.5%          | 0.0%  | 10.0%   | 10.0%        | 80.0%          | 0.0%         | 0.0%  |        | 0.0%           | 100.0%         | 0.0%   |        | 50.0%         | 50.0%          | 0.0%   | 6 0.0%  |       |                |               |
| Napa            | 56.3%   | 38.6%          | 5.1%  | 10.6%   | 4.0%         | 82.8%          | 2.6%         | 0.0%  | 13.6%  | 40.9%          | 45.5%          | 31.8%  | 40.9%  | 9.1%          | 18.2%          | 59.1%  | 27.3%   | 9.1%  | 4.5%           | 164           |
| Humboldt        | 46.2%   | 47.9%          | 5.9%  | 15.9%   | 7.1%         | 76.6%          | 0.4%         | 14.8%   | 25.9%  | 20.4%          | 38.9%          | 27.3%  | 38.2%  | 10.9%         | 23.6%          | 47.3%  | 27.3%   | 14.5% | 10.9%          | 239           |
| Marin           | 40.9%   | 48.1%          | 11.1% | 6.3%  | 2.4%         | 89.8%          | 1.5%         | 38.9%   | 22.2%  | 0.0%           | 38.9%          | 77.8%  | 11.1%  | 11.1%         | 0.0%           | 64.3%  | 6 21.4% | 14.3% | 0.0%           | 215           |
| Mendocino       | 31.5%   | 67.7%          | 0.8%  | 13.7%   | 10.5%        | 75.0%          | 0.8%         | 13.3%   |        |                |                | 26.7%  | 46.7%  | 20.0%         | 6.7%           | 56.7%  |         |       | 3.3%           | 126           |
| Solano          | 59.1%   | 35.3%          | 5.5%  | 7.0%  | 6.3%         | 85.1%          | 1.6%         | 8.4%  |        |                |                | 23.1%  | 24.0%  | 30.8%         | 22.1%          | 28.6%  |         |       | 19.0%          |               |
| Lake            | 41.4%   | 52.6%          | 6.0%  | 20.2%   | 3.5%         | 75.4%          | 0.9%         | 18.5%   | 22.2%  | 33.3%          | 25.9%          | 25.9%  | 25.9%  | 18.5%         | 29.6%          | 37.0%  | 25.9%   | 18.5% | 18.5%          | 116           |

<sup>\*</sup> The denominators for the reported proportions of Q30, Q31, and Q32 are all relevant respondents who answered "Every day" or "Some days" to Q29.





# CAHPS Survey Results: Advance Directives (2023)

|           | Q32 Did you fill out and sign an Advance Directive? Not Sure or |       |                   | <u>Directive</u> wi | Q33<br>Ilk about your<br>th your medic<br>aker or family? | al decision       | Did you give<br><u>Directive</u> to |       |                      |           |
|-----------|---|-------|-------------------|---------------------|---|-------------------|-------------------------------------|-------|----------------------|-----------|
|           |   |       | Not Sure or Don't |                     |   | Not Sure or Don't |                                     |       | Not Sure or<br>Don't |           |
| County    | Yes   | No    | Remember          | Yes                 | No  | Remember          | Yes                                 | No    | Remember             | Completes |
| Del Norte | 27.5%   | 58.0% | 14.5%             | 63.2%               | 36.8%   | 0.0%              | 47.4%                               | 31.6% |                      | 71        |
| Modoc     | 9.1%  | 81.8% | 9.1%              | 0.0%                | 0.0%  | 100.0%            | 0.0%                                | 0.0%  | 100.0%               | 11        |
| Humboldt  | 13.3%   | 66.5% | 20.2%             | 69.0%               | 27.6%   | 3.4%              | 64.3%                               | 25.0% | 10.7%                | 239       |
| Marin     | 28.4%   | 54.2% | 17.4%             | 52.3%               | 29.5%   | 18.2%             | 15.9%                               | 61.4% | 22.7%                | 215       |
| Mendocino | 8.3%  | 63.6% | 28.1%             | 77.8%               | 0.0%  | 22.2%             | 33.3%                               | 33.3% | 33.3%                | 126       |
| Trinity   | 21.6%   | 56.9% | 21.6%             | 90.9%               | 0.0%  | 9.1%              | 90.9%                               | 9.1%  | 0.0%                 | 51        |
| Yolo      | 22.6%   | 55.0% | 22.4%             | 68.7%               | 13.1%   | 18.2%             | 38.4%                               | 27.3% | 34.3%                | 488       |
| Napa      | 34.9%   | 45.6% | 19.5%             | 80.4%               | 13.7%   | 5.9%              | 56.9%                               | 35.3% | 7.8%                 | 164       |
| Sonoma    | 26.3%   | 51.7% | 22.0%             | 58.4%               | 28.0%   | 13.7%             | 30.7%                               | 51.8% | 17.5%                | 727       |
| Siskiyou  | 26.7%   | 54.5% | 18.8%             | 70.1%               | 27.8%   | 2.1%              | 55.6%                               | 33.3% | 11.1%                | 420       |
| Lake      | 33.6%   | 52.7% | 13.6%             | 62.9%               | 22.9%   | 14.3%             | 40.0%                               | 34.3% | 25.7%                | 116       |
| Solano    | 25.1%   | 52.8% | 22.1%             | 69.9%               | 21.3%   | 8.7%              | 55.7%                               | 24.6% | 19.7%                | 860       |
| Lassen    | 18.2%   | 56.1% | 25.7%             | 61.8%               | 27.6%   | 10.5%             | 65.7%                               | 15.7% | 18.6%                | 465       |
| Shasta    | 23.8%   | 58.5% | 17.7%             | 67.8%               | 20.0%   | 12.2%             | 51.3%                               | 26.5% | 22.2%                | 557       |

<sup>\*</sup> The denominators for the reported proportions of Q33 and Q34 are all relevant respondents who answered "Yes" to Q32.






# County Lead Screening Data (2023)



1,877 Blood Lead Tests





# **Appendix: HEDIS Information** Report Year 2023, Measurement Year 2022

- HEDIS HPA Rate Performance by County & Measure Set Descriptions
- HEDIS Performance by Partnership Counties
- Managed Care Accountability Site (MCAS) Measurement Set Descriptions



#### PARTNERSHIP HEALTHPLAN of CALLIFORNIA

### 3.0 HPA HEDIS Rate Performance by County: Change from Prior Year

#### 3.1 HPA HEDIS Rate Performance by County: Prevention and Equity Measures

Note: CAHPS is not captured by County

| 4-5 points 3 points | 1-2 points | Administrative measures: The entire eligible population is used in calculating performance (versus a systematic |
|---------------------|------------|---|
|                     |            | sample drawn from the eligible population for the hybrid measures). Denominators less than 20 at the county     |
|                     |            | level are suppressed.   |

|         |   |         |         |          |         |         |           | County Pe | erformance |         |         |         |         |         |           | National Medicaid Benchmarks |         |         |         |  |
|---------|---|---------|---------|----------|---------|---------|-----------|-----------|------------|---------|---------|---------|---------|---------|-----------|------------------------------|---------|---------|---------|--|
| Year    | Measure   | Modoc   | Shasta  | Siskiyou | Trinity | Lassen  | Humboldt  | Delnorte  | Napa       | Solano  | Yolo    | Lake    | Sonoma  | Marin   | Mendocino | 10th                         | 33.33rd | 66.67th | 90th    |  |
|         |   |         |         |          |         |         | Prevei    | ntion and | Equity     |         |         |         |         | l.      |           |                              |         |         |         |  |
|         |   |         |         |          |         | Chi     | ldren and | Adolesc   | ent Well-  | Care    |         |         |         |         |           |                              |         |         |         |  |
| MY 2021 | ADV - Annual Dental Visit—Total   | N/A     | N/A     | N/A      | N/A     | N/A     | N/A       | N/A       | N/A        | N/A     | N/A     | N/A     | N/A     | N/A     | N/A       | 20.51%                       | 40.23%  | 49.95%  | 56.82%  |  |
| MY 2022 | ADV Alliudi Belitai Visit Totai   |         | 5.79%   | 0.97%    | 3.66%   | 5.40%   | 2.95%     | 0.79%     | 16.48%     | 18.87%  | 20.14%  | 2.14%   | 6.24%   | 1.28%   | 3.77%     | 28.53%                       | 44.17%  | 53.67%  | 61.40%  |  |
| MY 2021 | ***CIS - Childhood Immunization Status  |         | 17.86%  |          |         |         | 33.33%    |           | 32.00%     | 33.33%  | 50.00%  | 52.00%  | 32.39%  | 42.86%  | 39.29%    | 26.52%                       | 33.33%  | 42.34%  | 53.66%  |  |
| MY 2022 | (Combination 10)  |         | 13.73%  |          |         |         | 19.05%    |           | 25.00%     | 43.55%  | 54.05%  | 38.10%  | 36.99%  | 52.78%  | 34.29%    | 23.71%                       | 31.14%  | 39.42%  | 49.76%  |  |
| MY 2021 | ***IMA - Immunizations for Adolescents  |         | 29.55%  |          |         |         | 19.35%    |           | 65.00%     | 47.95%  | 62.16%  |         | 54.22%  | 50.00%  | 41.67%    | 27.01%                       | 33.52%  | 41.81%  | 50.61%  |  |
| MY 2022 |   |         | 25.64%  |          |         |         | 32.00%    |           | 82.76%     | 49.35%  | 37.78%  |         | 59.49%  | 42.31%  | 35.14%    | 25.79%                       | 31.87%  | 39.16%  | 48.42%  |  |
| MY 2021 | WCC - Weight Assessment and Counseling<br>for Nutrition and Physical Activity for |         | 95.45%  |          |         |         | 72.97%    |           | 88.57%     | 78.67%  | 91.30%  | 85.71%  | 87.36%  | 72.73%  | 84.62%    | 60.58%                       | 72.34%  | 80.67%  | 87.18%  |  |
| MY 2022 | Children/Adolescents—BMI  |         | 94.12%  |          |         |         | 80.00%    |           |            | 78.38%  |         |         | 90.48%  |         | 80.95%    | 60.83%                       | 74.94%  | 82.73%  | 88.31%  |  |
|         | Women's reproductive health   |         |         |          |         |         |           |           |            |         |         |         |         |         |           |                              |         |         |         |  |
| MY 2021 | ***PPC - Prenatal and Postpartum  |         | 80.43%  |          |         |         | 73.33%    | •         |            | 75.82%  | 87.50%  |         | 93.94%  |         | 83.33%    | 72.02%                       | 81.51%  | 88.32%  | 92.21%  |  |
| MY 2022 | Care—Timeliness of Prenatal Care  |         | 88.46%  |          |         |         | 86.96%    |           |            | 83.93%  | 82.61%  |         | 92.45%  | 95.65%  |           | 73.49%                       | 82.73%  | 87.83%  | 91.89%  |  |
| MY 2021 | ***PPC - Prenatal and Postpartum  |         | 78.26%  |          |         |         | 86.00%    |           |            | 85.71%  | 87.50%  |         | 96.97%  |         | 88.89%    | 65.21%                       | 73.72%  | 78.35%  | 83.70%  |  |
| MY 2022 | Care—Postpartum Care  |         | 88.46%  |          |         |         | 86.96%    |           |            | 91.07%  | 86.96%  |         | 90.57%  | 100.00% |           | 64.57%                       | 74.94%  | 80.00%  | 84.18%  |  |
|         | PRS-E - Prenatal Immunization Status -  | 36.11%  | 26.84%  | 24.39%   | 24.59%  | 30.00%  | 25.31%    | 31.15%    | 40.54%     | 43.72%  | 44.91%  | 28.30%  | 44.79%  | 60.23%  | 36.30%    | 12.18%                       | 18.95%  | 35.07%  | 45.76%  |  |
| MY 2022 | Combination Rate  | 19.35%  | 19.14%  | 11.89%   | 11.36%  | 16.13%  | 21.00%    | 17.22%    | 39.93%     | 40.14%  | 42.42%  | 31.05%  | 43.64%  | 54.37%  | 36.79%    | 8.65%                        | 15.16%  | 27.32%  | 39.12%  |  |
|         |   |         |         |          |         |         | Can       | cer scree | ening      |         |         |         |         |         |           |                              |         |         |         |  |
| MY 2021 | BCS - Breast Cancer Screening   | 44.32%  | 49.75%  | 48.56%   | 26.17%  | 37.05%  | 40.70%    | 40.86%    | 56.59%     | 54.03%  | 47.55%  | 44.20%  | 58.31%  | 51.39%  | 48.82%    | 42.96%                       | 51.20%  | 56.72%  | 63.77%  |  |
| MY 2022 | bes breast carried selecting  | 45.00%  | 46.91%  | 49.32%   | 28.87%  | 39.36%  | 41.88%    | 39.68%    | 64.75%     | 56.72%  | 57.75%  | 48.15%  | 62.48%  | 54.86%  | 48.68%    | 40.72%                       | 47.76%  | 53.96%  | 61.27%  |  |
| MY 2021 | CCS - Cervical Cancer Screening   |         | 50.00%  |          |         |         | 59.09%    |           |            | 61.43%  | 64.29%  | 66.67%  | 77.94%  | 66.67%  | 31.25%    | 42.67%                       | 54.01%  | 61.80%  | 67.99%  |  |
| MY 2022 | cos con rican canisar our caning  |         | 52.17%  |          |         |         | 56.86%    |           |            | 69.44%  | 53.85%  | 43.48%  | 64.00%  | 65.52%  | 56.52%    | 42.71%                       | 54.27%  | 60.83%  | 66.88%  |  |
|         |   |         |         |          |         |         |           | Equity    |            |         |         |         |         |         |           |                              |         |         |         |  |
|         | Race/Ethnicity Diversity of Membership  | N/A     | N/A     | N/A      | N/A     | N/A     | N/A       | N/A       | N/A        | N/A     | N/A     | N/A     | N/A     | N/A     | N/A       | N/A                          | N/A     | N/A     | N/A     |  |
| MY 2022 | Reporting Only  | 100.00% | 100.00% | 100.00%  | 100.00% | 100.00% | 100.00%   | 100.00%   | 100.00%    | 100.00% | 100.00% | 100.00% | 100.00% | 100.00% | 100.00%   | 66.33%                       | 100.00% | 100.00% | 100.00% |  |
|         | Other preventive services   |         |         |          |         |         |           |           |            |         |         |         |         |         |           |                              |         |         |         |  |
| MY 2021 | CHL - Chlamydia Screening in  | 39.81%  | 49.23%  | 42.20%   | 42.19%  | 38.89%  | 54.93%    | 45.37%    | 56.80%     | 63.35%  | 65.16%  | 49.13%  | 57.18%  | 71.49%  | 51.01%    | 40.43%                       | 50.76%  | 60.28%  | 66.15%  |  |
| MY 2022 | Women—Total   | 31.45%  | 52.83%  | 41.75%   | 46.92%  | 44.12%  | 53.60%    | 46.15%    | 55.53%     | 61.80%  | 55.84%  | 51.39%  | 55.84%  | 73.51%  | 52.82%    | 41.89%                       | 51.41%  | 60.24%  | 67.84%  |  |



### 3.2 HPA HEDIS Rate Performance by County: Treatment Measures

Note: CAHPS is not captured by County

| level are suppressed. | 4-5 points | ive measures: The entire eligible population is used in calculating performance (versus a system with the eligible population for the hybrid measures). Denominators less than 20 at the count paressed |
|-----------------------|------------|---|
|-----------------------|------------|---|

| Veer    | Measure  |        |        | •        |         | •      |          | County P   | erformance |        |        |        |        |        |           | Nat    | ional Medi | caid Bench | marks  |
|---------|--|--------|--------|----------|---------|--------|----------|------------|------------|--------|--------|--------|--------|--------|-----------|--------|------------|------------|--------|
| Year    | ivieasure  | Modoc  | Shasta | Siskiyou | Trinity | Lassen | Humboldt | Delnorte   | Napa       | Solano | Yolo   | Lake   | Sonoma | Marin  | Mendocino | 10th   | 33.33rd    | 66.67th    | 90th   |
|         |  |        |        |          |         |        |          | Treatmer   | nt         |        |        |        |        |        |           |        |            |            |        |
|         |  |        |        |          |         |        |          | Respirato  | ry         |        |        |        |        |        |           |        |            |            |        |
| MY 2021 | AMR - Asthma Medication Ratio- Total   | 50.00% | 62.98% | 62.11%   | 58.82%  | 61.04% | 63.07%   | 65.97%     | 87.67%     | 81.17% | 74.72% | 64.58% | 78.74% | 77.98% | 67.31%    | 54.73% | 62.26%     | 68.24%     | 75.32% |
| MY 2022 | Alvin Astima Medication Natio Total  | 54.24% | 84.33% | 59.50%   | 57.14%  | 65.12% | 61.42%   | 60.67%     | 84.33%     | 77.48% | 74.02% | 62.92% | 79.09% | 76.32% | 65.58%    | 54.60% | 61.38%     | 68.21%     | 74.21% |
|         | CWP - Appropriate Testing for  | 55.81% | 59.77% | 49.48%   | 46.81%  | 82.05% | 68.37%   | 61.86%     | 27.59%     | 33.59% | 66.76% | 45.93% | 50.29% | 48.22% | 70.83%    | 60.34% | 72.98%     | 80.59%     | 85.77% |
|         | Pharyngitis—Total  | 44.74% | 66.47% | 44.96%   | 44.64%  | 69.05% | 73.18%   | 71.31%     | 40.00%     | 51.89% | 75.41% | 46.95% | 68.07% | 56.19% | 70.23%    | 48.98% | 65.56%     | 74.02%     | 79.40% |
| MY 2021 | URI - Appropriate Treatment for Upper  | 95.09% | 96.82% | 96.60%   | 93.55%  | 91.71% | 96.31%   | 92.54%     | 97.16%     | 96.84% | 97.51% | 93.01% | 97.59% | 98.55% | 96.37%    | 79.88% | 86.88%     | 90.81%     | 94.34% |
| MY 2022 | Respiratory Infection—Total  | 94.53% | 95.50% | 93.15%   | 96.08%  | 91.86% | 95.10%   | 88.06%     | 96.11%     | 97.51% | 96.48% | 92.61% | 97.21% | 98.42% | 96.62%    | 79.72% | 88.74%     | 92.46%     | 96.23% |
| MY 2021 | AAB - Avoidance of Antibiotic Treatment  |        | 61.27% | 58.90%   |         |        | 55.17%   | 56.41%     | 80.95%     | 68.35% | 63.16% | 55.88% | 54.31% | 72.73% | 56.90%    | 42.33% | 49.46%     | 59.51%     | 70.39% |
| MY 2022 | for Acute Bronchitis/Bronchiolitis—Total                                       | 70.59% | 75.06% | 64.96%   | 70.00%  | 61.54% | 74.07%   | 73.33%     | 80.65%     | 78.14% | 84.28% | 64.24% | 73.77% | 87.30% | 79.13%    | 43.17% | 50.98%     | 58.74%     | 70.79% |
| MY 2021 | PCE - Pharmacotherapy Management of COPD Exacerbation - Systemic               |        | 64.58% | 61.54%   |         |        | 62.86%   | 55.17%     |            | 60.64% | 72.00% | 69.01% | 64.29% | 90.00% | 76.60%    | 56.59% | 66.67%     | 73.66%     | 80.84% |
| MY 2022 | Corticosteroid   |        | 81.25% | 80.00%   |         |        | 81.01%   |            |            | 77.57% | 78.43% | 74.68% | 71.76% | 70.00% | 66.67%    | 55.58% | 67.45%     | 74.76%     | 82.81% |
| -       | PCE - Pharmacotherapy Management of  |        | 80.21% | 84.62%   |         |        | 84.29%   | 86.21%     |            | 85.11% | 88.00% | 85.92% | 92.86% | 96.67% | 87.23%    | 67.98% | 82.47%     | 86.99%     | 90.57% |
| MY 2022 | COPD Exacerbation - Bronchodilator   |        | 91.07% | 96.67%   |         |        | 82.28%   |            |            | 81.31% | 82.35% | 91.14% | 87.79% | 70.00% | 93.06%    | 67.19% | 82.32%     | 87.83%     | 91.22% |
|         | Diabetes   |        |        |          |         |        |          |            |            |        |        |        |        |        |           |        |            |            |        |
| MY 2021 | EED - Eye Exams for Patients with  |        | 62.50% |          |         |        |          |            | 56.52%     | 47.37% | 48.21% | 29.17% | 59.72% | 69.57% |           | 37.71% | 46.96%     | 55.96%     | 63.02% |
| MY 2022 | Diabetes   |        | 50.00% |          |         |        | 45.00%   |            |            | 54.17% | 48.98% |        | 62.50% |        | 48.00%    | 38.20% | 47.93%     | 54.74%     | 63.75% |
| MY 2021 | BPD -Blood Pressure Control (<140/90) for                                      |        | 67.50% |          |         |        |          |            | 65.22%     | 57.89% | 60.71% | 45.83% | 68.06% | 47.83% |           | 44.71% | 54.26%     | 63.26%     | 71.23% |
| MY 2022 | Patients with Diabetes   |        | 71.43% |          |         |        | 64.52%   |            |            | 67.82% | 69.05% | 58.62% | 73.91% | 79.17% | 70.00%    | 48.91% | 57.66%     | 65.21%     | 72.75% |
| MY 2021 | HBD -Hemoglobin A1c Control for Patients                                       |        | 50.00% |          |         |        |          |            | 65.22%     | 44.21% | 30.36% | 33.33% | 54.17% | 56.52% |           | 32.85% | 42.09%     | 49.64%     | 55.23% |
| MY 2022 | with Diabetes HbA1c Control (<8%)  |        | 57.14% |          |         |        | 57.50%   |            |            | 58.33% | 55.10% |        | 55.00% |        | 56.00%    | 36.01% | 46.96%     | 52.80%     | 58.39% |
| MY 2021 | SPD - Statin Therapy for Patients With   | 65.97% | 57.05% | 53.59%   | 51.35%  | 59.46% | 56.75%   | 60.00%     | 68.34%     | 70.09% | 71.71% | 59.60% | 69.44% | 65.97% | 60.92%    | 52.14% | 63.47%     | 68.57%     | 72.23% |
| MY 2022 | Diabetes—Received Statin Therapy   | 59.78% | 56.23% | 58.44%   | 43.24%  | 58.90% | 54.37%   | 58.80%     | 70.64%     | 70.18% | 68.79% | 58.49% | 68.42% | 62.47% | 54.67%    | 53.18% | 64.17%     | 68.32%     | 72.92% |
|         | SPD - Statin Therapy for Patients With   | 71.85% | 67.86% | 71.13%   | 81.58%  | 73.86% | 70.11%   | 66.67%     | 71.32%     | 71.55% | 70.17% | 63.53% | 64.84% | 71.85% | 67.45%    | 58.13% | 64.95%     | 71.95%     | 80.00% |
| MY 2022 | Diabetes—Statin Adherence 80%  | 76.36% | 76.88% | 75.56%   | 75.00%  | 68.75% | 78.45%   | 78.44%     | 80.14%     | 79.20% | 76.65% | 71.88% | 74.51% | 77.41% | 71.46%    | 54.57% | 63.51%     | 70.00%     | 77.40% |
| MY 2021 | KED - Kidney Health Evaluation for   | N/A    | N/A    | N/A      | N/A     | N/A    | N/A      | N/A        | N/A        | N/A    | N/A    | N/A    | N/A    | N/A    | N/A       | N/A    | N/A        | N/A        | N/A    |
| MY 2022 | Patients with Diabetes   | 37.42% | 46.92% | 33.99%   | 22.81%  | 17.48% | 29.61%   | 30.26%     | 63.47%     | 56.27% | 45.09% | 32.33% | 51.02% | 56.26% | 21.83%    | 21.05% | 28.15%     | 37.70%     | 46.76% |
|         |  |        |        | •        |         | •      | Н        | eart Disea | ase        |        |        |        |        |        |           |        |            |            |        |
| MY 2021 | SPC - Statin Therapy for Patients With   |        | 73.08% |          |         |        | 80.00%   |            |            | 85.39% | 86.67% | 84.62% | 81.33% | 94.12% | 87.50%    | 66.72% | 78.67%     | 81.90%     | 85.64% |
| MY 2022 | Cardiovascular Disease—Received Statin<br>Therapy—Total                        |        | 77.55% | 72.00%   |         | 65.22% | 75.83%   | 74.07%     | 87.06%     | 80.56% | 85.81% | 80.42% | 82.21% | 85.71% | 86.32%    | 65.09% | 78.97%     | 82.29%     | 85.91% |
| MY 2021 | SPC - Statin Therapy for Patients With Cardiovascular Disease—Statin Adherence |        | 81.58% |          |         |        |          |            |            | 67.11% | 76.92% | 59.09% | 68.85% | 71.88% | 66.67%    | 61.11% | 68.27%     | 74.98%     | 81.31% |
| MY 2022 | 80%—Total  |        | 80.26% | 88.89%   |         | 80.00% | 79.12%   | 80.00%     | 86.49%     | 81.23% | 76.38% | 79.13% | 79.59% | 88.89% | 80.49%    | 59.20% | 66.84%     | 73.75%     | 81.25% |
| MY 2021 | ***CBP - Controlling High Blood Pressure                                       |        | 65.79% |          |         |        | 46.43%   |            | 60.87%     | 68.67% | 63.04% | 48.28% | 65.38% | 66.67% | 62.07%    | 45.01% | 52.31%     | 60.10%     | 66.79% |
| MY 2022 |  |        | 58.14% |          |         |        | 56.52%   |            | 60.00%     | 62.79% | 40.74% | 43.48% | 64.38% | 62.96% | 61.54%    | 46.96% | 56.20%     | 63.50%     | 69.19% |



#### 3.3 HPA HEDIS Rate Performance by County: Behavioral Health Measures

Note: CAHPS is not captured by County

4-5 points 3 points 1-2 points Administrative measures: The entire eligible population is used in calculating performance (versus a systematic sample drawn from the eligible population for the hybrid measures). Denominators less than 20 at the county

level are suppressed.

| Vasu    | Manage  |        |        |          | uic su  |          | <del>,</del> | County Pe | erformance  |          |        |        |        |        |           | Nat    | ional Medi | caid Bench | marks  |
|---------|---|--------|--------|----------|---------|----------|--------------|-----------|-------------|----------|--------|--------|--------|--------|-----------|--------|------------|------------|--------|
| Year    | Measure   | Modoc  | Shasta | Siskiyou | Trinity | Lassen   | Humboldt     | Delnorte  | Napa        | Solano   | Yolo   | Lake   | Sonoma | Marin  | Mendocino | 10th   | 33.33rd    | 66.67th    | 90th   |
|         |   |        |        |          |         | Beł      | navioral He  | ealthCar  | e Coordin   | ation    |        |        |        |        |           |        |            |            |        |
|         | FUH - Follow-Up After Hospitalization for   |        |        |          |         |          |              |           |             |          |        |        |        |        |           | 23.72% | 34.50%     | 44.82%     | 55.92% |
| MY 2022 | Mental Illness-7 days   |        |        |          |         |          |              |           |             | 43.22%   |        |        | 9.30%  |        |           | 22.94% | 33.54%     | 42.75%     | 54.55% |
| MY 2021 | FUM - Follow-UP After Emergency<br>Department Visit for Mental Illness 7 days     |        | 31.60% | 11.11%   |         | 6.90%    | 9.58%        | 11.43%    | 21.57%      | 17.82%   | 10.57% | 6.50%  | 15.61% | 19.32% | 8.72%     | 23.09% |            | 46.38%     | 61.36% |
| MY 2022 | total   |        | 19.25% | 4.69%    |         |          | 7.77%        | 7.81%     | 14.58%      | 13.32%   | 10.13% | 11.11% | 17.53% | 22.15% | 6.67%     | 20.54% |            | 45.35%     | 60.58% |
| MY 2021 | FUA - Follow-Up After Emergency   | 6.67%  | 18.76% | 10.34%   | 8.51%   | 5.88%    | 5.95%        | 5.63%     | 7.25%       | 12.13%   | 4.83%  | 6.04%  | 5.90%  | 2.95%  | 11.45%    | 3.84%  | 9.49%      | 16.38%     | 22.98% |
| MY 2022 | Department Visit for Alcohol and Other<br>Drug Abuse or Dependence—7              | 32.14% | 39.62% | 18.07%   | 35.48%  | 13.51%   | 27.05%       | 5.50%     | 23.60%      | 26.62%   | 18.56% | 17.41% | 18.48% | 17.19% | 27.46%    | 3.47%  | 8.93%      | 16.16%     | 21.97% |
| MY 2021 | FUI - Follow-Up After High-Intensity Care for Substance Use Disorder—7            |        | 28.16% | 33.33%   |         |          | 35.59%       |           | 2.94%       | 25.66%   | 7.32%  | 14.29% | 9.70%  | 11.43% | 11.45%    | 15.64% | 26.60%     | 39.21%     | 49.13% |
| MY 2022 | davs—Total  |        | 33.47% | 43.24%   |         |          | 43.67%       |           | 4.00%       | 30.60%   | 11.76% |        | 10.34% | 20.75% | 54.10%    | 13.33% | 23.24%     | 37.86%     | 49.39% |
|         |   |        |        |          |         |          |              | IthMedic  |             |          |        |        | T      |        | 1         |        | T          |            |        |
|         | AMM - Antidepressant Medication   | 54.72% | 48.26% | 47.92%   | 63.41%  | 47.71%   | 50.40%       | 47.10%    | 51.23%      | 49.43%   | 47.11% | 37.97% | 46.69% | 46.57% | 44.19%    | 31.82% | 38.50%     | 42.97%     | 52.49% |
|         | Management—Effective Continuation   | 45.71% | 51.18% | 49.44%   | 39.53%  | 54.67%   | 55.19%       | 57.50%    | 53.26%      | 54.97%   | 55.82% | 43.46% | 50.17% | 55.15% | 41.43%    | 32.78% | 40.68%     | 46.09%     | 56.24% |
|         | POD - Pharmacotherapy for Opioid Use  | 13.04% | 9.33%  | 13.21%   | 9.09%   | 18.18%   | 13.66%       | 31.82%    | 20.69%      | 5.07%    | 13.04% | 16.46% | 18.32% | 20.00% | 20.58%    | 14.78% | 25.71%     | 35.17%     | 43.60% |
| MY 2022 | Disorder—Total SAA - Adherence to Antipsychotic                                   |        | 12.92% | 31.13%   | 14.29%  | 12.90%   | 22.99%       | 31.11%    | 29.79%      | 28.08%   | 22.64% | 24.34% | 31.30% | 25.71% | 32.01%    | 13.00% |            | 33.15%     | 41.67% |
| MY 2021 | Medications for Individuals With  |        | 63.47% | 64.44%   |         |          | 60.33%       | 67.86%    | 62.00%      | 60.00%   | 64.75% | 68.64% | 69.75% | 75.51% | 65.93%    | 45.95% |            | 67.62%     | 73.04% |
| MY 2022 | Schizophrenia   |        | 74.51% | 62.50%   |         |          | 72.31%       | 66.67%    | 75.81%      | 73.84%   | 70.00% | 76.47% | 76.00% | 80.00% | 78.41%    | 42.20% | 57.14%     | 64.52%     | 72.94% |
|         |   | 1      |        |          | В       | ehaviora | l Health     | Access, N | /lonitoring | and Safe | ety    |        |        |        |           | •      | ı          |            |        |
| MY 2021 | APM - Metabolic Monitoring for Children and Adolescents on                        |        | 40.24% | 40.00%   |         | 26.47%   | 26.83%       |           | 39.29%      | 41.67%   | 19.70% | 24.44% | 57.22% | 52.17% | 36.21%    | 20.96% | 26.04%     | 34.89%     | 44.58% |
| MY 2022 | Antipsychotics—Blood Glucose and  |        | 40.27% | 33.33%   |         | 33.33%   | 26.40%       | 28.00%    | 61.76%      | 41.91%   | 31.65% | 20.48% | 42.92% | 38.46% | 32.84%    | 24.51% | 29.67%     | 39.29%     | 51.69% |
| MY 2021 | ADD -Follow-Up Care for Children Prescribed ADHD                                  |        | 27.78% |          |         |          | 40.63%       |           |             | 37.50%   | 21.74% |        | 41.67% |        |           | 38.24% | 48.92%     | 60.35%     | 67.61% |
| MY 2022 | Medication—Continuation & Maintenance   |        | 39.19% |          |         |          | 53.13%       |           |             | 39.58%   | 41.46% |        | 44.23% |        | 30.00%    | 34.95% | 46.72%     | 55.40%     | 62.96% |
| MY 2021 | SSD - Diabetes Screening for People With<br>Schizophrenia or Bipolar Disorder Who |        | 78.43% | 74.82%   |         | 73.47%   | 82.58%       | 71.26%    | 83.33%      | 80.86%   | 76.28% | 77.09% | 81.50% | 76.92% | 77.97%    | 69.90% | 74.94%     | 78.90%     | 82.53% |
| MY 2022 | Are Using Antipsychotic Medications   |        | 82.20% | 82.96%   |         | 72.09%   | 79.35%       | 83.33%    | 77.10%      | 83.92%   | 80.13% | 76.14% | 80.90% | 78.17% | 78.61%    | 72.71% | 77.48%     | 81.21%     | 86.28% |
| MY 2021 | APP - Use of First-Line Psychosocial Care for Children and Adolescents on         |        | 26.09% | 21.62%   |         |          | 14.29%       |           |             | 25.58%   |        |        | 28.00% |        | 11.11%    | 40.87% | 57.67%     | 66.87%     | 76.29% |
| MY 2022 | Antipsychotics—Total  |        | 30.17% | 14.29%   |         |          | 23.53%       |           |             | 24.49%   | 29.63% | 14.52% | 27.66% |        | 9.09%     | 33.33% | 57.05%     | 65.63%     | 75.59% |
| MY 2021 | IET - Initiation and Engagement of Alcohol  |        |        |          |         |          |              |           |             |          |        |        |        |        |           | 5.86%  | 10.82%     | 16.45%     | 22.84% |
| MY 2022 | and Other Drug Abuse or Dependence Treatment—Engagement - Total                   | 3.77%  | 11.44% | 9.69%    | 5.36%   | 10.50%   | 11.25%       | 4.21%     | 5.72%       | 8.59%    | 5.48%  | 5.78%  | 7.85%  | 4.49%  | 11.36%    | 5.90%  | 11.25%     | 16.57%     | 22.12% |



#### 3.4 HPA HEDIS Rate Performance by County: Risk Adjusted / Other Measures

level are suppressed.

Note: CAHPS is not captured by County

4-5 points 3 points 1-2 points Administrative measures: The entire eligible population is used in calculating performance (versus a systematic sample drawn from the eligible population for the hybrid measures). Denominators less than 20 at the county

| Vasu    | Manage  |        |        |          |         |        |          | County Pe | erformance |        |        |        |        |        |           | Nati   | ional Medi | caid Bench | marks  |
|---------|---|--------|--------|----------|---------|--------|----------|-----------|------------|--------|--------|--------|--------|--------|-----------|--------|------------|------------|--------|
| Year    | Measure   | Modoc  | Shasta | Siskiyou | Trinity | Lassen | Humboldt | Delnorte  | Napa       | Solano | Yolo   | Lake   | Sonoma | Marin  | Mendocino | 10th   | 33.33rd    | 66.67th    | 90th   |
|         | Risk-Adjusted Utilization   |        |        |          |         |        |          |           |            |        |        |        |        |        |           |        |            |            |        |
| MY 2021 | **PCR - Plan All-Cause Readmission -                                    | 0.5415 | 0.8299 | 0.8786   |         |        | 0.8386   | 0.9267    | 0.8680     | 0.8555 | 0.8503 | 0.8003 | 0.9120 | 0.9216 | 0.9280    | 1.1815 | 1.0617     | 0.9452     | 0.8349 |
| MY 2022 | Observed to - Expected Ratio (18-64 years)                              |        | 0.7886 | 0.8646   |         |        | 0.6492   |           | 0.8172     | 0.8922 | 0.9902 | 0.6400 | 0.8556 | 1.0576 | 0.8044    | 1.1995 | 1.0428     | 0.9444     | 0.8511 |
|         | Overuse of Opioids  |        |        |          |         |        |          |           |            |        |        |        |        |        |           |        |            |            |        |
| MY 2021 | ***************************************                                 | 3.45%  | 2.63%  | 3.44%    | 1.20%   | 3.80%  | 6.74%    | 0.97%     | 3.70%      | 3.61%  | 3.01%  | 5.09%  | 5.17%  | 9.31%  | 5.27%     | 14.62% | 7.42%      | 2.87%      | 1.18%  |
| MY 2022 | ** HDO - Use of Opioids at High Dosage                                  | 1.85%  | 3.52%  | 2.21%    | 1.71%   | 3.16%  | 2.52%    | 2.94%     | 5.71%      | 7.17%  | 3.73%  | 4.02%  | 7.20%  | 11.69% | 3.75%     | 14.60% | 6.68%      | 2.65%      | 0.80%  |
| MY 2021 | **UOP - Use of Opioids from Multiple Providers—Multiple Prescribers and | 1.56%  | 0.39%  | 0.00%    | 1.08%   | 0.00%  | 0.63%    | 0.00%     | 1.99%      | 1.53%  | 1.39%  | 0.36%  | 1.52%  | 0.78%  | 0.30%     | 4.55%  | 2.47%      | 1.21%      | 0.52%  |
| MY 2022 | Multiple Pharmacies   | 0.00%  | 0.31%  | 0.28%    | 0.76%   | 1.68%  | 0.80%    | 0.96%     | 6.04%      | 3.98%  | 2.72%  | 0.99%  | 3.60%  | 3.80%  | 0.43%     | 4.37%  | 2.19%      | 0.90%      | 0.48%  |
|         | **COU - Risk of Continued Opioid Use—31-                                | 5.32%  | 2.47%  | 2.83%    | 4.12%   | 3.00%  | 2.55%    | 4.60%     | 1.73%      | 2.29%  | 2.14%  | 2.98%  | 2.83%  | 1.81%  | 3.30%     | 7.05%  | 4.55%      | 2.79%      | 1.52%  |
| MY 2022 | day rate—Total  | 6.85%  | 7.01%  | 7.95%    | 9.64%   | 6.51%  | 6.77%    | 8.72%     | 3.13%      | 4.73%  | 4.15%  | 4.24%  | 5.86%  | 4.17%  | 5.91%     | 6.12%  | 3.84%      | 2.35%      | 1.12%  |
|         | Other Treatment Measure   |        |        |          |         |        |          |           |            |        |        |        |        |        |           |        |            |            |        |
| MY 2021 | LBP - Use of Imaging Studies for Low Back                               | 70.00% | 80.24% | 67.75%   | 84.37%  | 79.37% | 84.95%   | 66.46%    | 83.33%     | 80.38% | 82.31% | 76.47% | 83.31% | 80.24% | 79.07%    | 68.74% | 72.98%     | 77.76%     | 82.82% |
| MY 2022 | Pain  | 67.86% | 79.28% | 63.55%   | 77.75%  | 73.24% | 79.74%   | 78.05%    | 81.74%     | 82.15% | 83.77% | 83.77% | 85.07% | 78.61% | 83.55%    | 67.97% | 72.20%     | 76.82%     | 81.24% |



## 4.0 MY2022 HEDIS HealthPlan Accreditation (HPA) – Measurement Set Descriptions

| HEDIS Measure   | Measure Indicator   | Measure Definition   |
|---|---|--|
| *Antidepressant<br>Medication<br>Management (AMM)                                       | <ul> <li>Continuation Phase<br/>Treatment.</li> <li>Acute Phase<br/>Treatment.</li> </ul> | The percentage of members 18 years of age and older who were treated with antidepressant medication, had a diagnosis of major depression and who remained on an antidepressant medication treatment.  Effective Acute Phase Treatment. The percentage of members who remained on an antidepressant medication for at least 84 days (12 weeks).  Effective Continuation Phase Treatment. The percentage of members who remained on an antidepressant medication for at least 180 days         |
| *Avoidance of<br>Antibiotic Treatment for<br>Acute<br>Bronchitis/Bronchiolitis<br>(AAB) | • Total   | <ul> <li>(6 months).</li> <li>The percentage of episodes for members ages 3 months and older with a diagnosis of acute bronchitis/ bronchiolitis that did not result in an antibiotic dispensing event.</li> <li>Note: This measure is reported as an inverted rate [1– (numerator/eligible population)]. A higher rate indicates appropriate acute bronchitis/bronchiolitis treatment (i.e., the proportion for episodes that did not result in an antibiotic dispensing event).</li> </ul> |



| <b>HEDIS Measure</b>   | Measure Indicator  | Measure Definition   |
|--|--|--|
| *Follow-Up Care for<br>Children Prescribed<br>ADHD Medication—<br>Continuation &<br>Maintenance Phase<br>(ADD) | <ul> <li>Initiation Phase.</li> <li>Continuation and<br/>Maintenance<br/>(C&amp;M) Phase.</li> </ul> | <ul> <li>The percentage of children newly prescribed attention-deficit/hyperactivity disorder (ADHD) medication who had at least three follow-up care visits within a 10-month period, one of which was within 30 days of when the first ADHD medication was dispensed. Two rates are reported.         <ul> <li>Initiation Phase. The percentage of members 6–12 years of age with a prescription dispensed for ADHD medication, who had one follow-up visit with a practitioner with prescribing authority during the 30-day Initiation Phase.</li> <li>Continuation and Maintenance (C&amp;M) Phase. The percentage of members 6–12 years of age with a prescription dispensed for ADHD medication, who remained on the medication for at least 210 days and who, in addition to the visit in the Initiation Phase, had at least two follow-up visits with a practitioner within 270 days (9 months) after the Initiation Phase ended.</li> </ul> </li> </ul> |
| *Asthma Medication<br>Ratio (AMR)  | <ul><li>5–64 years.</li><li>Total.</li></ul>   | • The percentage of members 5–64 years of age who were identified as having persistent asthma and had a ratio of controller medications to total asthma medications of 0.50 or greater during the measurement year.  |
| *Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics—Total (APP)                | • Total  | <ul> <li>The percentage of children and adolescents 1–17 years of age who had a<br/>new prescription for an antipsychotic medication and had documentation of<br/>psychosocial care as first-line treatment.</li> </ul>  |
| *Breast Cancer<br>Screening (BCS)  | Total  | The percentage of women 50–74 years of age who had a mammogram to screen for breast cancer.  |



| <b>HEDIS Measure</b>                      | Measure Indicator | Measure Definition  |
|---|-------------------|---|
|   |                   | The percentage of women 21–64 years of age who were screened for cervical cancer using either of the following criteria:  |
| Cervical Cancer<br>Screening (CCS)        | Total             | <ul> <li>Women 21–64 years of age who had cervical cytology performed<br/>within the last 3 years</li> </ul>  |
| 3(11)                                     | lotai             | <ul> <li>Women 30–64 years of age who had cervical high-risk human papillomavirus (hrHPV) testing performed within the last 5 years</li> <li>Women 30–64 years of age who had cervical cytology/high-risk human papillomavirus (hrHPV) cotesting within the last 5 years</li> </ul>   |
| Childhood<br>Immunization Status<br>(CIS) | Combination 10    | The percentage of children 2 years of age who had four diphtheria, tetanus and acellular pertussis (DTaP); three polio (IPV); one measles, mumps and rubella (MMR); three haemophilus influenza type B (HiB); three hepatitis B (HepB), one chicken pox (VZV); four pneumococcal conjugate (PCV); one hepatitis A (HepA); two or three rotavirus (RV); and two influenza (flu) vaccines by their second birthday. The measure calculates a rate for each vaccine and nine separate combination rates. |
|   |                   | <ul> <li>Combination 10. Children who have had all ten indicators (DTaP, IPV,<br/>MMR, HiB, HepB, VZV, PCV, HepA, RV and Influenza).</li> </ul>   |
| *Chlamydia Screening in Women (CHL)       | Total             | The percentage of women 16–24 years of age who were identified as sexually active and who had at least one test for chlamydia during the measurement year.  |



| HEDIS Measure                             | Measure Indicator   | Measure Definition  |
|---|---|---|
|   |   | The percentage of members 18–75 years of age with diabetes (type 1 and type 2) who had each of the Measure Indicators performed.  |
|   |   | <ul> <li>Eye exams-Screening or monitoring for diabetic retinal disease as<br/>identified by administrative data (See measure definition)</li> </ul>  |
| Comprehensive<br>Diabetes Care (CDC)      | <ul><li>Eye Exams</li><li>Blood Pressure<br/>Control (&lt;140/90)</li></ul> | <ul> <li>BP Control &lt;140/90 mm Hg The most recent BP level (taken during<br/>the measurement year) is &lt;140/90 mm Hg, as documented through<br/>administrative data or medical record review.</li> </ul>   |
| Occupation High Blood                     | HbA1c Control (<8%)   | <ul> <li>O HbA1c Control (&lt;8%) The member is numerator compliant if the<br/>most recent HbA1c level is &lt;8.0%. The member is not numerator<br/>compliant if the result for the most recent HbA1c test is ≥8.0% or is<br/>missing a result, or if an HbA1c test was not done during the<br/>measurement year.</li> </ul>  |
| Controlling High Blood<br>Pressure (CBP)  | Total   | The percentage of members 18–85 years of age who had a diagnosis of hypertension (HTN) and whose BP was adequately controlled (<140/90 mm Hg) during the measurement year.  |
| *Risk of Continued<br>Opioid Use (COU)    | <ul><li>31-day rate</li><li>Total</li></ul>                                 | <ul> <li>The percentage of members 18 years of age and older who have a new episode of opioid use that puts them at risk for continued opioid use. Two rates are reported:         <ul> <li>The percentage of members with at least 15 days of prescription opioids in a 30-day period.</li> <li>The percentage of members with at least 31 days of prescription opioids in a 62-day period.</li> </ul> </li> <li>Note: A lower rate indicates better performance.</li> </ul> |
|   |   |   |
| *Appropriate Testing for Pharyngitis(CWP) | Total   | <ul> <li>The percentage of episodes for members 3 years and older where the<br/>member was diagnosed with pharyngitis, dispensed an antibiotic and<br/>received a group A streptococcus (strep) test for the episode.</li> </ul>  |



| HEDIS Measure   | Measure Indicator                                | Measure Definition  |
|---|--|---|
| *Diabetes Screening for<br>People With<br>Schizophrenia or<br>Bipolar Disorder Who<br>Are Using<br>Antipsychotic<br>Medications (SSD) | Diabetes Screening                               | The percentage of members 18–64 years of age with schizophrenia, schizoaffective disorder or bipolar disorder, who were dispensed an antipsychotic medication and had a diabetes screening test during the measurement year.  |
| ***Flu Vaccinations for<br>Adults Ages 18-64<br>(FVA)   | Flu Vaccinations                                 | The percentage of commercial and Medicaid members 18–64 years of age who received a flu vaccination between July 1 of the measurement year and the date when the CAHPS 5.0H survey was completed.   |
| ***Medical Assistance With Smoking and Tobacco Use Cessation (MSC)  | Advising Smokers<br>and Tobacco Users to<br>Quit | A rolling average represents the percentage of members 18 years of age and older who were current smokers or tobacco users and who received advice to quit during the measurement year.   |
| *Follow-Up After<br>Hospitalization for<br>Mental Illness (FUH)   | • 7 Days   | <ul> <li>The percentage of acute inpatient hospitalizations, residential treatment or detoxification visits for a diagnosis of substance use disorder among members 13 years of age and older that result in a follow-up visit or service for substance use disorder. Two rates are reported:         <ul> <li>The percentage of visits or discharges for which the member received follow-up for substance use disorder within the 30 days after the visit or discharge.</li> <li>The percentage of visits or discharges for which the member received follow-up for substance use disorder within the 7 days after the visit or discharge.</li> </ul> </li> </ul> |



| HEDIS Measure   | Measure Indicator                      | Measure Definition   |  |  |  |  |
|---|--|--|--|--|--|--|
| *Follow-Up After<br>Emergency Department<br>Visit for Mental Illness            |  | The percentage of emergency department (ED) visits for members 6 years of age and older with a principal diagnosis of mental illness or intentional self-harm, who had a follow-up visit for mental illness.   |  |  |  |  |
| (FUM)   | Total                                  | <ul> <li>The percentage of ED visits for which the member received follow-up<br/>within 7 days of the ED visit (8 total days).</li> </ul>  |  |  |  |  |
| *Follow-Up After<br>Emergency Department<br>Visit for Alcohol and               | 7 days                                 | The percentage of emergency department (ED) visits for members 13 years of age and older with a principal diagnosis of alcohol or other drug (AOD) abuse or dependence, who had a follow up visit for AOD.   |  |  |  |  |
| Other Drug Abuse<br>Dependence (FUA)  | Total                                  | <ul> <li>The percentage of ED visits for which the member received follow-up<br/>within 7 days of the ED visit (8 total days).</li> </ul>  |  |  |  |  |
| *Follow-Up After High-<br>Intensity Care for<br>Substance Use<br>Disorder (FUI) | <ul><li>7 days</li><li>Total</li></ul> | The percentage of acute inpatient hospitalizations, residential treatment or detoxification visits for a diagnosis of substance use disorder among members 13 years of age and older that result in a follow-up visit or service for substance use disorder. |  |  |  |  |
|   |  | <ul> <li>The percentage of visits or discharges for which the member received<br/>follow-up for substance use disorder within the 7 days after the visit or<br/>discharge.</li> </ul>  |  |  |  |  |
| *Use of Opioids at High<br>Dosage (HDO)   | High Dose Opioid Rx                    | <ul> <li>The proportion of members 18 years and older who received prescription<br/>opioids at a high dosage (average morphine milligram equivalent dose<br/>[MME] ≥90) for ≥15 days during the measurement year.</li> </ul>                                 |  |  |  |  |
|   |  | Note: A lower rate indicates better performance.   |  |  |  |  |
| Blood Pressure Control<br>(<140/90) for Patients<br>With Diabetes (BPD)         |  | The percentage of members 18–75 years of age with diabetes (types 1 and 2) whose blood pressure (BP) was adequately controlled (<140/90 mm Hg) during the measurement year.  |  |  |  |  |



| <b>HEDIS Measure</b>   | Measure Indicator   | Measure Definition   |
|--|---|--|
| Hemoglobin A1c<br>Control for Patients<br>With Diabetes — (HBD)          |   | <ul> <li>The percentage of members 18–75 years of age with diabetes (types 1 and 2) whose hemoglobin A1c (HbA1c) was at the following levels during the measurement year:         <ul> <li>HbA1c Control (&lt;8%)</li> <li>HbA1c poor control (&gt;9.0%).</li> </ul> </li> </ul>                             |
|  |   | <b>Note:</b> Organizations must use the same data collection method (Administrative or Hybrid) to report these indicators.   |
| Eye Exam for Patients<br>With Diabetes (EED)                             |   | <ul> <li>The percentage of members 18–75 years of age with diabetes (types 1 and<br/>2) who had a retinal eye exam.</li> </ul>   |
| Kidney Health<br>Evaluation for Patients<br>with Diabetes (KED)          |   | The percentage of members 18–85 years of age with diabetes (type 1 and type 2) who received a kidney health evaluation, defined by an estimated glomerular filtration rate (eGFR) and a urine albumin-creatinine ratio (uACR), during the measurement year.  |
|  |   | The percentage of new substance use disorder (SUD) episodes that result in treatment initiation and engagement. Two rates are reported:  |
| *Initiation and<br>Engagement of<br>Substance Use<br>Disorder Treatment— | <ul><li>Engagement of SUD<br/>Treatment</li><li>Total</li></ul> | <ul> <li>Initiation of SUD Treatment. The percentage of new SUD episodes that<br/>result in treatment initiation through an inpatient SUD admission,<br/>outpatient visit, intensive outpatient encounter, partial hospitalization,<br/>telehealth visits or medication treatment within 14 days.</li> </ul> |
| (IET)  |   | <ul> <li>Engagement of SUD Treatment. The percentage of new SUD episodes<br/>that have evidence of treatment engagement within 34 days of<br/>initiation.</li> </ul>   |



| HEDIS Measure   | Measure Indicator  | Measure Definition  |
|---|--|---|
| *Use of Imaging<br>Studies for Low Back<br>Pain (LPB)       | Imaging for Low Back<br>Pain   | <ul> <li>The percentage of members with a primary diagnosis of low back pain who did not have an imaging study (plain X-ray, MRI, CT scan) within 28 days of the diagnosis.</li> <li>The measure is reported as an inverted rate [1–(numerator/eligible population)]. A higher score indicates appropriate treatment of low back pain (i.e., the proportion for whom imaging studies did not occur).</li> </ul> |
| Immunizations for Adolescents (IMA)                         | Combination 2  | The percentage of adolescents 13 years of age who had one dose of meningococcal vaccine, one tetanus, diphtheria toxoids and acellular pertussis (Tdap) vaccine, and have completed the human papillomavirus (HPV) vaccine series by their 13th birthday. The measure calculates a rate for each vaccine and two combination rates.   |
|   |  | <ul> <li>Combination 2. Adolescents who have had all three indicators<br/>(meningococcal, Tdap and HPV).</li> </ul>   |
| *Metabolic Monitoring<br>for Children and<br>Adolescents on | • Total  | The percentage of children and adolescents 1–17 years of age who had two or more antipsychotic prescriptions and had metabolic testing. Three rates are reported, the percentage of children and adolescents on antipsychotics who received blood glucose testing, cholesterol testing, and both blood glucose and cholesterol testing.   |
| Antipsychotics (APM)  |  | <ul> <li>Total. The sum of the age stratifications (1-17) as of December 31 of<br/>the measurement year.</li> </ul>   |
| Prenatal and<br>Postpartum Care (PPC)                       | <ul> <li>Timeliness of Prenatal<br/>Care</li> <li>Postpartum Care</li> </ul> | The percentage of deliveries of live births on or between October 8 of the year prior to the measurement year and October 7 of the measurement year. For these women, the measure assesses the following facets of prenatal and postpartum care.  |
|   |  | <ul> <li>Timeliness of Prenatal Care. The percentage of deliveries that received a prenatal care visit in the first trimester, on or before the enrollment start date or within 42 days of enrollment in the organization.</li> <li>Postpartum Care. The percentage of deliveries that had a postpartum visit on or between 7 and 84 days after delivery.</li> </ul>  |



| HEDIS Measure   | Measure Indicator   | Measure Definition  |
|---|---|---|
| Prenatal Immunization<br>Status (PRS-E)                     | Combination Rate  | The percentage of deliveries in the Measurement Period in which women had received influenza and tetanus, diphtheria toxoids and acellular pertussis (Tdap) vaccinations.   |
| *Pharmacotherapy<br>Management of COPD<br>Exacerbation(PCE) | <ul><li>Systemic<br/>Corticosteroid</li><li>Bronchodilator</li></ul>                    | <ul> <li>The percentage of COPD exacerbations for members 40 years of age and older who had an acute inpatient discharge or ED visit on or between January 1–November 30 of the measurement year and who were dispensed appropriate medications. Two rates are reported:         <ol> <li>Dispensed a systemic corticosteroid (or there was evidence of an active prescription) within 14 days of the event.</li> <li>Dispensed a bronchodilator (or there was evidence of an active prescription) within 30 days of the event.</li> <li>Note: The eligible population for this measure is based on acute inpatient discharges and ED visits, not on members. It is possible for the denominator to include multiple events for the same individual.</li> </ol> </li> </ul> |
| *Pharmacotherapy for<br>Opioid Use<br>Disorder(POD)         | • Total   | <ul> <li>The percentage of new opioid use disorder (OUD) pharmacotherapy events with OUD pharmacotherapy for 180 or more days among members age 16 and older with a diagnosis of OUD.</li> <li>A 12-month period that begins on July 1 of the year prior to the measurement year and ends on June 30 of the measurement year.</li> </ul>  |
| *Plan All-Cause<br>Readmissions— (PCR)                      | <ul> <li>Observed-to-<br/>Expected Ratio</li> <li>18-64 years</li> <li>Total</li> </ul> | <ul> <li>For members 18 years of age and older, the number of acute inpatient and observation stays during the measurement year that were followed by an unplanned acute readmission for any diagnosis within 30 days and the predicted probability of an acute readmission.</li> <li>Note: For commercial and Medicaid, report only members 18–64 years of age.</li> </ul>   |



| <b>HEDIS Measure</b>  | Measure Indicator  | Measure Definition   |  |  |  |  |  |
|---|--|--|--|--|--|--|--|
| *Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA)  * Non-Medicare 809 Coverage |  | The percentage of members 18 years of age and older during the measurement year with schizophrenia or schizoaffective disorder who we dispensed and remained on an antipsychotic medication for at least 80% their treatment period.   |  |  |  |  |  |
| *Statin Therapy for<br>Patients With<br>Cardiovascular Disease<br>(SPC)                                       | <ul> <li>Total.</li> <li>Statin Therapy.</li> <li>Statin Adherence<br/>80%.</li> </ul> | <ul> <li>The percentage of males 21–75 years of age and females 40–75 years of age during the measurement year, who were identified as having clinical atherosclerotic cardiovascular disease (ASCVD) and met the following criteria. The following rates are reported:         <ul> <li>Received Statin Therapy. Members who were dispensed at least one high-intensity or moderate-intensity statin medication during the measurement year.</li> <li>Statin Adherence 80%. Members who remained on a high-intensity or moderate-intensity statin medication for at least 80% of the treatment period.</li> </ul> </li> </ul> |  |  |  |  |  |
| * Statin Therapy Statin<br>Therapy for Patients<br>With Diabetes (SPD)  | <ul> <li>Received Statin<br/>Therapy</li> <li>Statin Adherence 80%</li> </ul>          | <ul> <li>The percentage of members 40–75 years of age during the measurement year with diabetes who do not have clinical atherosclerotic cardiovascular disease (ASCVD) who met the following criteria. Two rates are reported:         <ul> <li>Received Statin Therapy. Members who were dispensed at least one statin medication of any intensity during the measurement year.</li> <li>Statin Adherence 80%. Members who remained on a statin medication of any intensity for at least 80% of the treatment period.</li> </ul> </li> </ul>   |  |  |  |  |  |



| <b>HEDIS Measure</b>   | Measure Indicator                                  | Measure Definition   |  |  |  |  |
|--|--|--|--|--|--|--|
|  |  | <ul> <li>The proportion of members 18 years and older, receiving prescription<br/>opioids for ≥15 days during the measurement year, who received opioids<br/>from multiple providers. Three rates are reported.</li> </ul>   |  |  |  |  |
|  |  | <ul> <li>Multiple Prescribers. The proportion of members receiving prescriptions<br/>for opioids from four or more different prescribers during the measurement<br/>year.</li> </ul>   |  |  |  |  |
| *Use of Opioids from<br>Multiple Providers<br>(UOP)                | Multiple Prescribers<br>and Multiple<br>Pharmacies | <ul> <li>Multiple Pharmacies. The proportion of members receiving prescriptions<br/>for opioids from four or more different pharmacies during the measurement<br/>year.</li> </ul>   |  |  |  |  |
|  |  | <ul> <li>Multiple Prescribers and Multiple Pharmacies. The proportion of<br/>members receiving prescriptions for opioids from four or more different<br/>prescribers and four or more different pharmacies during the measurement<br/>year (i.e., the proportion of members who are numerator compliant for both<br/>the Multiple Prescribers and Multiple Pharmacies rates).</li> </ul> |  |  |  |  |
|  |  | Note: A lower rate indicates better performance for all three rates.   |  |  |  |  |
| *Appropriate Treatment<br>for Upper Respiratory<br>Infection (URI) | • Total  | The percentage of episodes for members 3 months of age and older with a diagnosis of upper respiratory infection (URI) that did not result in an antibiotic dispensing event.  |  |  |  |  |
|  |  | <b>Note:</b> The measure is reported as an inverted rate [1–(numerator/eligible population)]. A higher rate indicates appropriate URI treatment (i.e., the proportion of episodes that did not result in an antibiotic dispensing event.   |  |  |  |  |
| Weight Assessment<br>and Counseling for<br>Nutrition and Physical  | BMI Percentile     Documentation                   | The percentage of members 3–17 years of age who had an outpatient visit with a PCP or OB/GYN and who had evidence of the following during the measurement year.  |  |  |  |  |
| Activity for<br>Children/Adolescents<br>(WCC)                      |  | <ul> <li>BMI Percentile Documentation. Because BMI norms for youth vary with<br/>age and gender, this measure evaluates whether BMI percentile is<br/>assessed rather than an absolute BMI value.</li> </ul>   |  |  |  |  |

#### HEDIS Performance by County Report Year 2023; Measurement Year 2022

Select Provider Type All Providers Northeast Region Modoc, Trinity, Siskiyou, Shasta and Lassen Counties



- Above HPL (high performance level, based on NCQA's Quality Compass Medicaid 90th percentile)
- Below MPL (minimum performance level, based on NCQA's Quality Compass Medicaid 50th percentile)
- \*\* Denominator at the county level is less than 20, interpret rate with caution.

#### Northeast Region National Medicaid Benchmarks

|  | Northeast Negion |         |          | National Medicald Deficilitians |        |        |        |        |        |
|--|------------------|---------|----------|---------------------------------|--------|--------|--------|--------|--------|
| Measures   | MODOC            | TRINITY | SISKIYOU | SHASTA                          | LASSEN | 25TH   | 50TH   | 75TH   | 90TH   |
| Breast Cancer Screening (BCS)*   | 45.00%           | 28.87%  | 49.32%   | 46.91%                          | 39.36% | 45.23% | 50.95% | 56.52% | 61.27% |
| **Cervical Cancer Screening (CCS)  | 71.43%           | 61.11%  | 53.73%   | 54.44%                          | 42.86% | 52.39% | 57.64% | 62.53% | 66.88% |
| **Childhood Immunization Status (CIS) - Combo 10   | 25.00%           | 17.65%  | 12.50%   | 20.14%                          | 14.29% | 28.95% | 34.79% | 42.09% | 49.76% |
| Chlamydia Screening in Women (CHL) - Total*  | 31.45%           | 46.92%  | 41.75%   | 52.83%                          | 44.12% | 48.67% | 55.32% | 62.65% | 67.84% |
| **Controlling High Blood Pressure (CBP)  | 46.15%           | 63.16%  | 60.56%   | 64.44%                          | 69.70% | 54.50% | 59.85% | 65.10% | 69.19% |
| **Follow-Up After Emergency Department Visit for Mental<br>Illnes (FUM) - 30 Days Total* | 11.11%           | 27.27%  | 14.06%   | 32.30%                          | 33.33% | 44.82% | 54.51% | 63.44% | 72.01% |
| Follow-Up After Emergency Department Visit for Substance<br>Use (FUA) - 30 Days Total*   | 35.71%           | 35.48%  | 27.11%   | 49.48%                          | 21.62% | 10.72% | 21.24% | 25.81% | 32.38% |
| **Hemoglobin A1c Control for Patients With Diabetes (HBD)<br>- HbA1c Poor Control (>9%)  | 35.29%           | 35.71%  | 25.61%   | 36.86%                          | 28.57% | 46.96% | 39.90% | 35.52% | 30.90% |
| **Immunizations for Adolescents (IMA) - Combo 2  | 11.11%           | 0.00%   | 10.96%   | 22.89%                          | 11.11% | 30.41% | 35.04% | 41.12% | 48.42% |
| **Lead Screening in Children (LSC)   | 55.56%           | 44.44%  | 31.82%   | 23.02%                          | 60.00% | 53.28% | 63.99% | 72.67% | 79.57% |
| *Prenatal and Postpartum Care (PPC) - Postpartum care                                    | 75.00%           | 66.67%  | 67.35%   | 82.91%                          | 83.33% | 72.87% | 77.37% | 81.27% | 84.18% |
| **Prenatal and Postpartum Care (PPC) - Timeliness of<br>prenatal care                    | 100.00%          | 95.24%  | 93.88%   | 87.94%                          | 95.83% | 81.27% | 85.40% | 88.86% | 91.89% |
| Well Care Visits (WCV) - Total*  | 47.09%           | 39.89%  | 38.72%   | 41.70%                          | 34.16% | 43.50% | 48.93% | 57.44% | 62.70% |
| Well Child 30 (W30) - Well child visits for age15-30 months*                             | 64.41%           | 43.94%  | 58.63%   | 52.83%                          | 46.58% | 60.53% | 65.83% | 72.24% | 78.07% |
| Well Child 30 (W30) - Well child visits in the first 15 months*                          | 29.03%           | 41.18%  | 37.29%   | 36.38%                          | 31.15% | 49.88% | 55.72% | 61.19% | 67.56% |

<sup>\*-</sup> Administrative Measures. The entire eligible population is used in calculating performance (versus a systematic sample drawn from the eligible population for the hybrid measures). NOTE: Report excludes measures reported to DHCS where DHCS does not hold Managed Care plans accountable for meeting specific performance targets.

<sup>\*-</sup> In MY2022 the CDC measure was retired and split into 3 stand-alone measures: BPD, EED, and HBD. For MY2022 MCAS required reporting it is now HBD. \*- HBD - HbA1c Poor Control is an inverted measure; a lower rate results in a better performance.

#### **HEDIS Performance by County** Report Year 2023; Measurement Year 2022

Select Provider Type All Providers

Northwest Region Del Norte and Humboldt Counties



- Above HPL (high performance level, based on NCQA's Quality Compass Medicaid 90th percentile)
- Below MPL (minimum performance level, based on NCQA's Quality Compass Medicaid 50th percentile)
- \*\* Denominator at the county level is less than 20, interpret rate with caution.

#### **Northwest Region**

#### **National Medicaid Benchmarks**

|   |           | rtogion  |        |        |        |        |
|---|-----------|----------|--------|--------|--------|--------|
| Measures  | DEL NORTE | HUMBOLDT | 25TH   | 50TH   | 75TH   | 90TH   |
| Breast Cancer Screening (BCS)*  | 39.68%    | 41.88%   | 45.23% | 50.95% | 56.52% | 61.27% |
| Cervical Cancer Screening (CCS)   | 50.82%    | 55.78%   | 52.39% | 57.64% | 62.53% | 66.88% |
| Childhood Immunization Status (CIS) - Combo 10                                      | 16.67%    | 25.22%   | 28.95% | 34.79% | 42.09% | 49.76% |
| Chlamydia Screening in Women (CHL) - Total*   | 46.15%    | 53.60%   | 48.67% | 55.32% | 62.65% | 67.84% |
| Controlling High Blood Pressure (CBP)   | 58.33%    | 64.36%   | 54.50% | 59.85% | 65.10% | 69.19% |
| Follow-Up After Emergency Department Visit for Mental Illnes (FUM) - 30 Days Total* | 15.63%    | 16.58%   | 44.82% | 54.51% | 63.44% | 72.01% |
| Follow-Up After Emergency Department Visit for Substance Use (FUA) - 30 Days Total* | 10.09%    | 37.09%   | 10.72% | 21.24% | 25.81% | 32.38% |
| Hemoglobin A1c Control for Patients With Diabetes (HBD) - HbA1c Poor Control (>9%)  | 33.33%    | 33.44%   | 46.96% | 39.90% | 35.52% | 30.90% |
| Immunizations for Adolescents (IMA) - Combo 2                                       | 21.33%    | 25.60%   | 30.41% | 35.04% | 41.12% | 48.42% |
| Lead Screening in Children (LSC)  | 37.88%    | 47.25%   | 53.28% | 63.99% | 72.67% | 79.57% |
| Prenatal and Postpartum Care (PPC) - Postpartum care                                | 86.30%    | 85.50%   | 72.87% | 77.37% | 81.27% | 84.18% |
| Prenatal and Postpartum Care (PPC) - Timeliness of prenatal care                    | 84.93%    | 86.64%   | 81.27% | 85.40% | 88.86% | 91.89% |
| Well Care Visits (WCV) - Total*   | 42.89%    | 44.23%   | 43.50% | 48.93% | 57.44% | 62.70% |
| Well Child 30 (W30) - Well child visits for age15-30 months*                        | 53.45%    | 62.74%   | 60.53% | 65.83% | 72.24% | 78.07% |
| Well Child 30 (W30) - Well child visits in the first 15 months*                     | 44.14%    | 43.39%   | 49.88% | 55.72% | 61.19% | 67.56% |

<sup>\*-</sup> Administrative Measures. The entire eligible population is used in calculating performance (versus a systematic sample drawn from the eligible population for the hybrid measures). NOTE: Report excludes measures reported to DHCS where DHCS does not hold Managed Care plans accountable for meeting specific performance targets.
\*- In MY2022 the CDC measure was retired and split into 3 stand-alone measures: BPD, EED, and HBD. For MY2022 MCAS required reporting it is now HBD.
\*- HBD - HbA1c Poor Control is an inverted measure; a lower rate results in a better performance.

## HEDIS Performance by County Report Year 2023; Measurement Year 2022

Southeast Region Solano, Yolo and Napa Counties



Select Provider Type All Providers

- Above HPL (high performance level, based on NCQA's Quality Compass Medicaid 90th percentile)
- Below MPL (minimum performance level, based on NCQA's Quality Compass Medicaid 50th percentile)
- \*\* Denominator at the county level is less than 20, interpret rate with caution.

#### Southeast Region **National Medicaid Benchmarks** Measures NAPA **SOLANO** YOLO 25TH 50TH 75TH 90TH Breast Cancer Screening (BCS)\* 64.75% 56.72% 57.75% 45.23% 50.95% 56.52% 61.27% 70.83% 64 58% 66 35% 57.64% Cervical Cancer Screening (CCS) 52.39% 62.53% 66.88% 48.15% 47.11% 44.35% 49.76% Childhood Immunization Status (CIS) - Combo 10 28 95% 34 79% 42 09% Chlamydia Screening in Women (CHL) - Total\* 55.53% 61.80% 63.74% 48.67% 55.32% 62.65% 67.84% 51.52% 66 51% 58.56% Controlling High Blood Pressure (CBP) 59.85% 65.10% 69.19% 54.50% Follow-Up After Emergency Department Visit for Mental 27.08% 21.35% 23.63% 54.51% 44 82% 63 44% 72 01% Illnes (FUM) - 30 Days Total\* Follow-Up After Emergency Department Visit for Substance Use (FUA) - 30 Days Total\* 34.83% 35.54% 30.84% 10.72% 21.24% 25.81% 32.38% Hemoglobin A1c Control for Patients With Diabetes 38.30% 32.50% 43.30% 46.96% 39.90% 35.52% 30.90% (HBD) - HbA1c Poor Control (>9%) 58.02% 51.50% 45.36% Immunizations for Adolescents (IMA) - Combo 2 30.41% 35.04% 41.12% 48.42% 64.38% 39.68% 69.23% 53.28% 79.57% Lead Screening in Children (LSC) 63 99% 72 67% Prenatal and Postpartum Care (PPC) - Postpartum care 88.24% 84.75% 96.36% 72.87% 77.37% 81.27% 84.18% Prenatal and Postpartum Care (PPC) - Timeliness of 76.27% 92.73% 91.18% 81.27% 85.40% 88.86% 91.89% prenatal care 53.44% 41.94% 48.64% 43.50% 48.93% 57.44% 62.70% Well Care Visits (WCV) - Total\* Well Child 30 (W30) - Well child visits for age15-30 65.68% 58.25% 69.95% 60.53% 65.83% 72.24% 78.07% months'

39.97%

30.12%

49.88%

37.14%

55.72%

61.19%

67.56%

Well Child 30 (W30) - Well child visits in the first 15

months\*

<sup>\*-</sup> Administrative Measures. The entire eligible population is used in calculating performance (versus a systematic sample drawn from the eligible population for the hybrid measures). NOTE: Report excludes measures reported to DHCS where DHCS does not hold Managed Care plans accountable for meeting specific performance targets.
\*- In MY2022 the CDC measure was retired and split into 3 stand-alone measures: BPD, EED, and HBD. For MY2022 MCAS required reporting it is now HBD.

<sup>\*-</sup> HBD - HbA1c Poor Control is an inverted measure; a lower rate results in a better performance.

#### HEDIS Performance by County Report Year 2023; Measurement Year 2022

Select Provider Type All Providers

months\*

Southwest Region Lake, Marin, Mendocino and Sonoma Counties



- Above HPL (high performance level, based on NCQA's Quality Compass Medicaid 90th percentile)
- Below MPL (minimum performance level, based on NCQA's Quality Compass Medicaid 50th percentile)
- \*\* Denominator at the county level is less than 20, interpret rate with caution.

#### **Southwest Region National Medicaid Benchmarks** MENDOCINO LAKE MARIN SONOMA Measures 25TH 50TH 75TH 90TH Breast Cancer Screening (BCS)\* 48.15% 54.86% 48 68% 62 48% 45 23% 50.95% 61 27% 56.52% 61.54% 64.38% 62.90% 71.43% **Cervical Cancer Screening (CCS)** 52.39% 57.64% 62.53% 66.88% 35.29% 44.00% 38.89% 43.88% Childhood Immunization Status (CIS) - Combo 10 28.95% 34.79% 42.09% 49.76% 52.82% Chlamydia Screening in Women (CHL) - Total\* 51.39% 73.51% 55.84% 48.67% 55.32% 62.65% 67.84% 64.58% 69.70% 68.25% Controlling High Blood Pressure (CBP) 66 82% 54.50% 59.85% 65.10% 69.19% Follow-Up After Emergency Department Visit for Mental 17.17% 30.87% 16.67% 34.38% 44.82% 54.51% 63.44% 72.01% Illnes (FUM) - 30 Days Total\* Follow-Up After Emergency Department Visit for 25.45% 31.62% 36.53% 29.70% 10.72% 21.24% 25.81% 32.38% Substance Use (FUA) - 30 Days Total\* Hemoglobin A1c Control for Patients With Diabetes (HBD) 36.67% 22.73% 35.38% 30.96% 46.96% 39.90% 35.52% 30.90% - HbA1c Poor Control (>9%) 52.05% 26.39% 59.07% 39.22% 30.41% 35.04% Immunizations for Adolescents (IMA) - Combo 2 41.12% 48.42% 77.61% Lead Screening in Children (LSC) 27.87% 51.76% 34.85% 53.28% 63.99% 72.67% 79.57% 100.00% 96.55% 81.82% 88.46% \*\*Prenatal and Postpartum Care (PPC) - Postpartum care 72.87% 77.37% 81.27% 84.18% \*\*Prenatal and Postpartum Care (PPC) - Timeliness of 86.36% 94.44% 93.10% 97.44% 81.27% 85.40% 88.86% 91.89% Well Care Visits (WCV) - Total\* 36.61% 46.52% 40.99% 52.10% 43.50% 48.93% 57.44% 62.70% Well Child 30 (W30) - Well child visits for age15-30 63.28% 76.07% 67.55% 61.99% 60.53% 65.83% 72.24% 78.07% months\* Well Child 30 (W30) - Well child visits in the first 15 35.04% 39.26% 52.17% 43.13% 49.88% 55.72% 61.19% 67.56%

<sup>\*-</sup> Administrative Measures. The entire eligible population is used in calculating performance (versus a systematic sample drawn from the eligible population for the hybrid measures). NOTE: Report excludes measures reported to DHCS where DHCS does not hold Managed Care plans accountable for meeting specific performance targets.
\*- In MY2022 the CDC measure was retired and split into 3 stand-alone measures: BPD, EED, and HBD. For MY2022 MCAS required reporting it is now HBD.

<sup>\*-</sup> HBD - HbA1c Poor Control is an inverted measure; a lower rate results in a better performance.



# 7.0 Measurement Year 2022 Managed Care Accountability Site (MCAS) Measurement Set Descriptions

| HEDIS Measure                          | Measure Indicator  | Measure Definition  |
|--|--------------------|---|
| *Breast Cancer Screening (BCS)         | Non-Medicare Total | The percentage of women 52–74 years of age who had a mammogram to screen for breast cancer as of December 31 of the measurement year.   |
|  |                    | The percentage of women 21–64 years of age who were screened for cervical cancer using either of the following criteria:  |
| Cervical Cancer Screening (CCS)        | • Total            | <ul> <li>Women 21–64 years of age who had cervical cytology performed within the last 3 years</li> <li>Women 30–64 years of age who had cervical high-risk human papillomavirus (hrHPV) testing performed within the last 5 years</li> <li>Women 30–64 years of age who had cervical cytology/high-risk human papillomavirus (hrHPV) cotesting within the last 5 years</li> </ul>   |
| *Child and Adolescent Well-            | Total              | The percentage of members 3–21 years of age who had at least one comprehensive well-care visit with a PCP or an OB/GYN practitioner during the measurement year.  |
| Care Visits (WCV)                      |                    | <ul> <li>Total. The sum of the age stratifications (ages 3–21) as of December 31 of the<br/>measurement year.</li> </ul>  |
| Childhood Immunization<br>Status (CIS) | Combination 10     | The percentage of children 2 years of age who had four diphtheria, tetanus and acellular pertussis (DTaP); three polio (IPV); one measles, mumps and rubella (MMR); three haemophilus influenza type B (HiB); three hepatitis B (HepB), one chicken pox (VZV); four pneumococcal conjugate (PCV); one hepatitis A (HepA); two or three rotavirus (RV); and two influenza (flu) vaccines by their second birthday. The measure calculates a rate for each vaccine and nine separate combination rates. |
|  |                    | <ul> <li>Combination 10. Children who have had all ten indicators (DTaP, IPV, MMR, HiB,<br/>HepB, VZV, PCV, HepA, RV and Influenza).</li> </ul>   |
| *Chlamydia Screening in<br>Women (CHL) | Total              | The percentage of women 16–24 years of age who were identified as sexually active and who had at least one test for chlamydia during the measurement year.  |
|  |                    | <ul> <li>Total. The sum of the age stratifications.</li> </ul>  |



| HEDIS Measure   | Measure Indicator          | Measure Definition  |  |  |  |  |  |
|---|----------------------------|---|--|--|--|--|--|
| Controlling High Blood<br>Pressure (CBP)                            | Total                      | The percentage of members 18–85 years of age who had a diagnosis of hypertension (HTN) and whose BP was adequately controlled (<140/90 mm Hg) during the measurement year.  |  |  |  |  |  |
| *Follow-Up After ED Visit for<br>Mental Illness – 30 days<br>(FUM)  | • Total                    | <ul> <li>The percentage of emergency department (ED) visits for members 6 years of age and older with a principal diagnosis of mental illness or intentional self-harm, who had a follow-up visit for mental illness.</li> <li>The percentage of ED visits for which the member received follow-up within 30 days of the ED visit (31 total days).</li> </ul>   |  |  |  |  |  |
| *Follow-Up After ED Visit for<br>Substance Abuse – 30 days<br>(FUA) | • Total                    | The percentage of emergency department (ED) visits among members age 13 years and older with a principal diagnosis of substance use disorder (SUD), or any diagnosis of drug overdose, for which there was follow-up.  The percentage of ED visits for which the member received follow-up within 30 days of the ED visit (31 total days).  |  |  |  |  |  |
| Immunizations for Adolescents (IMA)                                 | Combination 2              | The percentage of adolescents 13 years of age who had one dose of meningococcal vaccine, one tetanus, diphtheria toxoids and acellular pertussis (Tdap) vaccine, and have completed the human papillomavirus (HPV) vaccine series by their 13th birthday. The measure calculates a rate for each vaccine and two combination rates.  Combination 2. Adolescents who have had all three indicators (meningococcal, Tdap) |  |  |  |  |  |
|   |                            | and HPV).   |  |  |  |  |  |
| Hemoglobin A1c Control for Patients With Diabetes (HBD)             | HbA1c poor control (>9.0%) | The percentage of members 18–75 years of age with diabetes (type 1 and type 2) who had each of the Measure Indicators performed.  HbA1c poor control (>9.0%). The most recent HbA1c level is >9.0% or is missing a result, or if an HbA1c test was not done during the measurement year.  |  |  |  |  |  |
| Lead Screening in Children (LSC)                                    | • Total                    | <ul> <li>The percentage of children 2 years of age who had one or more capillary or venous lead blood test for lead poisoning by their second birthday.</li> <li>At least one lead capillary or venous blood test (Lead Tests Value Set) on or before the child's second birthday.</li> </ul>   |  |  |  |  |  |



| HEDIS Measure  | Measure Indicator  | Measure Definition  |  |  |  |
|--|--|---|--|--|--|
|  | <ul> <li>Timeliness of Prenatal<br/>Care</li> <li>Postpartum Care</li> </ul> | The percentage of deliveries of live births on or between October 8 of the year prior to the measurement year and October 7 of the measurement year. For these women, the measure assesses the following facets of prenatal and postpartum care.  |  |  |  |
| Prenatal and Postpartum Care (PPC)                         |  | <ul> <li>Timeliness of Prenatal Care. The percentage of deliveries that received a prenatal<br/>care visit in the first trimester, on or before the enrollment start date or within 42 days<br/>of enrollment in the organization.</li> </ul>   |  |  |  |
|  |  | <ul> <li>Postpartum Care. The percentage of deliveries that had a postpartum visit on or<br/>between 7 and 84 days after delivery.</li> </ul>   |  |  |  |
|  | FIRST 15 MONTHS  | The percentage of members who had the following number of well-child visits with a PCP during the last 15 months. The following rates are reported:   |  |  |  |
| *Well-Child Visits in the First<br>30 Months of Life (W30) |  | <ul> <li>Well-Child Visits in the First 15 Months. Children who turned 15 months old during the measurement year: Six or more well-child visits.</li> <li>Well-Child Visits for Age 15 Months—30 Months. Children who turned 30 months old during the measurement year: Two or more well-child visits.</li> </ul> |  |  |  |

<sup>\*-</sup>Administrative Measures. The entire eligible population is used in calculating performance (versus a systematic sample drawn from the eligible population for the hybrid measures